VOLUME 42 • AUTHOR INDEX

Agarwal DK *see* Sharma BC *et al*
Ahmed M *see* Ballinger AB *et al*
Ajioka Y *et al*. Infrequent K-*ras* codon 12 mutation in serrated adenomas of human colorectum, **680**
Akiba Y *see* Kimura H *et al*
Akkermans LMA *see* Luiking YC *et al*
see Salet GAM *et al*
Alberti A *see* de Moliner L *et al*
Alexander B *see* Li X *et al*
Alexander GJM *see* Petrik J *et al*
Allain J-P *see* Petrik J *et al*
Alstead EM *see* Ballinger AB *et al*
Alving K *see* Oldner A *et al*
Ambrose NS *see* Primrose JN *et al*
Ampurdanés S *see* Guilera M *et al*
Andrén-Sandberg A *see* Büchler MW, *et al*
Andrioli A *see* Wilmer A *et al*
Andus T *see* Gross V *et al*
Angeletti S *et al*. Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
Anggiansah A *see* Cooke RA *et al*
Annibale B *see* Angeletti S *et al*
Anthony A *see* Kelly DA *et al*
Anton P *et al*. Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**
Antonelli K *see* Emmanuel AV *et al*
Appelros S *et al*. Activation peptide of carboxypeptidase B in serum and urine in acute pancreatitis, **97**
Apte MV *see* Norton ID *et al*
Ardill JE *see* El-Nujumi A *et al*
Arends J-W *see* van der Wurff AAM *et al*
Armitage NC *see* Hunt LM *et al*
Arndt H *et al*. Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**
Arner A *see* Ekblad E *et al*
Arthur MJP *see* Roseveare CD *et al*
Arvola P *see* Sand J *et al*
Asseman C, Powrie F. Interleukin 10 is a growth factor for a population of regulatory T cells: *science alert*, **157**
Atkin WS *et al*. Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
Aubert JP *see* Buisine MP *et al*
Aubrey R *see* Atkin WS *et al*
Avallone R *et al*. Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
Axon ATR *see* Drake IM *et al*

Baba M *see* Iseki K *et al*
Badcock C-A *see* Bennett EJ *et al*
Baijal SS *see* Sharma BC *et al*
Baldwin GS, Shulkes A. Gastrin, gastrin receptors and colorectal carcinoma: *review*, **581**
Ballinger AB *et al*. Persistent systemic inflammatory response after stent insertion in patients with malignant bile duct obstruction, **555**
Banducci T *see* Figura N *et al*
Baraldi C *see* Avallone R *et al*
Baraldi M *see* Avallone R *et al*
Barbier JP *see* Landi B *et al*
Barclay GR *see* Clements WDB *et al*
see Welsh FKS *et al*
Bardócz S *et al*. Putrescine as a source of instant energy in the small intestine of the rat, **24**
Barnes E *see* Windsor ACJ *et al*
Bass DD *see* Lurie Y *et al*
see Lurie Y *et al*
Basso N *see* Angeletti S *et al*
Bauditz J *see* Nikolaus S *et al*
Beales ILP, Calam J. Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
Bearcroft CP *et al*. Postprandial plasma 5-hydroxytryptamine in diarrhoea predominant irritable bowel syndrome: a pilot study, **42**
Beek CCL *see* van der Wurff AAM *et al*
Belaïche J *see* Grandbastien B *et al*
Belghiti J *see* Malka D *et al*
Bell JD *see* Taylor-Robinson SD *et al*
Bengmark S. Ecological control of the gastrointestinal tract. The role of probiotic flora: *leader*, **2**
Benjamin IS *see* Li X *et al*
Benjamin N *see* Dykhuizen RS *et al*
Bennett EJ *et al*. Functional gastrointestinal disorders: psychological, social, and somatic features, **414**
Benoni C, Prytz H. Effects of smoking on the urine excretion of oral ^{51}Cr EDTA in ulcerative colitis, **656**
Berenguer M, Wright TL. Is the hepatocyte a Trojan horse for hepatitis C virus?: *commentary*, **456**
Bermingham H *see* Penagini R *et al*
Bernades P *see* Malka D *et al*
Berstad AE, Brandtzaeg P. Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
Bianchi FB *see* Muratori L *et al*
Bianchi PA *see* Penagini R *et al*
Biscontri M *see* Figura N *et al*
Blackshaw PE *see* Hebden JM *et al*
Blair CS *see* Haydon GH *et al*
Bland PW. Gut epithelium: food processor for the mucosal immune system?: *commentary*, **455**
Blaton MA *see* Terpend K *et al*
Bleck JS *see* Caselitz M *et al*
Boisgerault F *see* Terpend K *et al*
Bonvicini P *see* Farinati F *et al*
Book reviews Balistreri WF, Ohi R, Todani T, Tsuchida Y, *editors*. Hepatobiliary, Pancreatic and Splenic Disease in Children. Medical and Surgical Management, **597**
Bartram CI, Frudinger A. Handbook of anal endosonography, **145**
Buchler MW, Frei E, Klaiber C, Krahenbuhl L, *editors*. Gastroesophageal reflux disease (GERD): back to surgery?, **145**
Caprilli R, *editor*. Inflammatory Bowel Disease: Trigger Factors and Trends in Therapy, **597**
Forbes A. Clinicians' guide to inflammatory bowel disease, **449**
Gandolfi L, Fukuda M, *editors*. Current trends in digestive ultrasonography, **308**
Gitlin N. The liver and systemic disease, **145**
Nicholls J, Dozios RR, *editors*. Surgery of the Colon and Rectum, **597**
Perlman AL, Schulze-Delrieu KS, *editors*. Deglutition and its disorders. Anatomy, physiology, clinical diagnosis, and management, **308**
Walker WA, Watkins JB, *editors*. Nutrition in pediatrics—basic science and clinical application, **146**
Boot AM *et al*. Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
Booth IW *see* Collington GK *et al*
Bordi C *see* Angeletti S *et al*
Borgström A *see* Appelros S *et al*
Bosco JJ *see* Tham TCK *et al*
Bosman FT *see* van der Wurff AAM *et al*
Bottaro G *see* Cataldo F *et al*
Bouchier IAD *see* Stanley AJ *et al*
Bouquet J *see* Boot AM *et al*
Bovelander F-J *see* van der Wurff AAM *et al*
Bowling TE, Silk DBA. Colonic responses to enteral tube feeding: *leader*, **147**
Boyce P *see* Talley NJ *et al*
Boyce PM *see* Talley NJ *et al*
Boys R *see* Simmons MWN *et al*
Bramble M *see* Simmons MWN *et al*
Bramble MG *see* Laheij RJF *et al*
Brandtzaeg P *see* Berstad AE and Brandtzaeg P
see Nilsen EM *et al*
Braniff-Mathews C *see* Thomas GAO *et al*
Brenner DA *see* Jobin C *et al*
Broström O *see* Karlén P *et al*
Brough WA *see* Thompson MH *et al*
Brown DS *see* Bardócz S *et al*
Brown KL *see* Parkman HP *et al*
Bruix J *see* Guilera M *et al*
Bruno MJ *et al*. Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**
BSG Working Party. Cleaning and disinfection of equipment for gastrointestinal endoscopy. Report of a Working Party of the British Society of Gastroenterology Endoscopy Committee: *review*, **585**
United Kingdom guidelines for the management of acute pancreatitis, suppl 2
Buchler M *see* Reubi JC *et al*
Büchler MW, *et al* CAPAP in acute pancreatitis: just another marker or real progress?: *commentary*, **8**
Budesonide Study Group *see* Gross V *et al*
Buffet C *see* Prat F *et al*
Buisine MP *et al*. Abnormal mucus in cap polyposis, **135**
Bunce M *see* Mullighan CG *et al*
Burghardt W *see* Karvar S *et al*
Burke CM *see* Johnston S *et al*
Burnham WR *see* Fitzgerald RC *et al*

VOLUME 42 • AUTHOR INDEX

Agarwal DK *see* Sharma BC *et al*
Ahmed M *see* Ballinger AB *et al*
Ajioka Y *et al*. Infrequent K-*ras* codon 12 mutation in serrated adenomas of human colorectum, **680**
Akiba Y *see* Kimura H *et al*
Akkermans LMA *see* Luiking YC *et al*
see Salet GAM *et al*
Alberti A *see* de Moliner L *et al*
Alexander B *see* Li X *et al*
Alexander GJM *see* Petrik J *et al*
Allain J-P *see* Petrik J *et al*
Alstead EM *see* Ballinger AB *et al*
Alving K *see* Oldner A *et al*
Ambrose NS *see* Primrose JN *et al*
Ampurdanés S *see* Guilera M *et al*
Andrén-Sandberg A *see* Büchler MW, *et al*
Andrioli A *see* Wilmer A *et al*
Andus T *see* Gross V *et al*
Angeletti S *et al*. Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
Anggiansah A *see* Cooke RA *et al*
Annibale B *see* Angeletti S *et al*
Anthony A *see* Kelly DA *et al*
Anton P *et al*. Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**
Antonelli K *see* Emmanuel AV *et al*
Appelros S *et al*. Activation peptide of carboxypeptidase B in serum and urine in acute pancreatitis, **97**
Apte MV *see* Norton ID *et al*
Ardill JE *see* El-Nujumi A *et al*
Arends J-W *see* van der Wurff AAM *et al*
Armitage NC *see* Hunt LM *et al*
Arndt H *et al*. Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**
Arner A *see* Ekblad E *et al*
Arthur MJP *see* Roseveare CD *et al*
Arvola P *see* Sand J *et al*
Asseman C, Powrie F. Interleukin 10 is a growth factor for a population of regulatory T cells: *science alert*, **157**
Atkin WS *et al*. Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
Aubert JP *see* Buisine MP *et al*
Aubrey R *see* Atkin WS *et al*
Avallone R *et al*. Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
Axon ATR *see* Drake IM *et al*

Baba M *see* Iseki K *et al*
Badcock C-A *see* Bennett EJ *et al*
Baijal SS *see* Sharma BC *et al*
Baldwin GS, Shulkes A. Gastrin, gastrin receptors and colorectal carcinoma: *review*, **581**
Ballinger AB *et al*. Persistent systemic inflammatory response after stent insertion in patients with malignant bile duct obstruction, **555**
Banducci T *see* Figura N *et al*
Baraldi C *see* Avallone R *et al*
Baraldi M *see* Avallone R *et al*
Barbier JP *see* Landi B *et al*
Barclay GR *see* Clements WDB *et al*
see Welsh FKS *et al*
Bardócz S *et al*. Putrescine as a source of instant energy in the small intestine of the rat, **24**
Barnes E *see* Windsor ACJ *et al*
Bass DD *see* Lurie Y *et al*
see Lurie Y *et al*
Basso N *see* Angeletti S *et al*
Bauditz J *see* Nikolaus S *et al*
Beales ILP, Calam J. Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
Bearcroft CP *et al*. Postprandial plasma 5-hydroxytryptamine in diarrhoea predominant irritable bowel syndrome: a pilot study, **42**
Beek CCL *see* van der Wurff AAM *et al*
Belaïche J *see* Grandbastien B *et al*
Belghiti J *see* Malka D *et al*
Bell JD *see* Taylor-Robinson SD *et al*
Bengmark S. Ecological control of the gastrointestinal tract. The role of probiotic flora: *leader*, **2**
Benjamin IS *see* Li X *et al*
Benjamin N *see* Dykhuizen RS *et al*
Bennett EJ *et al*. Functional gastrointestinal disorders: psychological, social, and somatic features, **414**
Benoni C, Prytz H. Effects of smoking on the urine excretion of oral ^{51}Cr EDTA in ulcerative colitis, **656**
Berenguer M, Wright TL. Is the hepatocyte a Trojan horse for hepatitis C virus?: *commentary*, **456**
Bermingham H *see* Penagini R *et al*
Bernades P *see* Malka D *et al*
Berstad AE, Brandtzaeg P. Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
Bianchi FB *see* Muratori L *et al*
Bianchi PA *see* Penagini R *et al*
Biscontri M *see* Figura N *et al*
Blackshaw PE *see* Hebden JM *et al*
Blair CS *see* Haydon GH *et al*
Bland PW. Gut epithelium: food processor for the mucosal immune system?: *commentary*, **455**
Blaton MA *see* Terpend K *et al*
Bleck JS *see* Caselitz M *et al*
Boisgerault F *see* Terpend K *et al*
Bonvicini P *see* Farinati F *et al*
Book reviews Balistreri WF, Ohi R, Todani T, Tsuchida Y, *editors*. Hepatobiliary, Pancreatic and Splenic Disease in Children. Medical and Surgical Management, **597**
Bartram CI, Frudinger A. Handbook of anal endosonography, **145**
Buchler MW, Frei E, Klaiber C, Krahenbuhl L, *editors*. Gastroesophageal reflux disease (GERD): back to surgery?, **145**
Caprilli R, *editor*. Inflammatory Bowel Disease: Trigger Factors and Trends in Therapy, **597**
Forbes A. Clinicians' guide to inflammatory bowel disease, **449**
Gandolfi L, Fukuda M, *editors*. Current trends in digestive ultrasonography, **308**
Gitlin N. The liver and systemic disease, **145**
Nicholls J, Dozios RR, *editors*. Surgery of the Colon and Rectum, **597**
Perlman AL, Schulze-Delrieu KS, *editors*. Deglutition and its disorders. Anatomy, physiology, clinical diagnosis, and management, **308**
Walker WA, Watkins JB, *editors*. Nutrition in pediatrics—basic science and clinical application, **146**
Boot AM *et al*. Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
Booth IW *see* Collington GK *et al*
Bordi C *see* Angeletti S *et al*
Borgström A *see* Appelros S *et al*
Bosco JJ *see* Tham TCK *et al*
Bosman FT *see* van der Wurff AAM *et al*
Bottaro G *see* Cataldo F *et al*
Bouchier IAD *see* Stanley AJ *et al*
Bouquet J *see* Boot AM *et al*
Bovelander F-J *see* van der Wurff AAM *et al*
Bowling TE, Silk DBA. Colonic responses to enteral tube feeding: *leader*, **147**
Boyce P *see* Talley NJ *et al*
Boyce PM *see* Talley NJ *et al*
Boys R *see* Simmons MWN *et al*
Bramble M *see* Simmons MWN *et al*
Bramble MG *see* Laheij RJF *et al*
Brandtzaeg P *see* Berstad AE and Brandtzaeg P
see Nilsen EM *et al*
Braniff-Mathews C *see* Thomas GAO *et al*
Brenner DA *see* Jobin C *et al*
Broström O *see* Karlén P *et al*
Brough WA *see* Thompson MH *et al*
Brown DS *see* Bardócz S *et al*
Brown KL *see* Parkman HP *et al*
Bruix J *see* Guilera M *et al*
Bruno MJ *et al*. Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**
BSG Working Party. Cleaning and disinfection of equipment for gastrointestinal endoscopy. Report of a Working Party of the British Society of Gastroenterology Endoscopy Committee: *review*, **585**
United Kingdom guidelines for the management of acute pancreatitis, suppl 2
Buchler M *see* Reubi JC *et al*
Büchler MW, *et al* CAPAP in acute pancreatitis: just another marker or real progress?: *commentary*, **8**
Budesonide Study Group *see* Gross V *et al*
Buffet C *see* Prat F *et al*
Buisine MP *et al*. Abnormal mucus in cap polyposis, **135**
Bunce M *see* Mullighan CG *et al*
Burghardt W *see* Karvar S *et al*
Burke CM *see* Johnston S *et al*
Burnham WR *see* Fitzgerald RC *et al*

Burroni D *see* Figura N *et al*
Burroughs AK *see* Taylor-Robinson SD *et al*
Burton DD *see* Saslow SB *et al*
Butler WJ *see* Hardingham JE *et al*

Calam J *see* Beales ILP and Calam J
Camilleri M *see* Farrugia G *et al*
see Saslow SB *et al*
Cardin R *see* Farinati F *et al*
Carol M *et al.* Spontaneous secretion of interferon γ and interleukin 4 by human intraepithelial and lamina propria gut lymphocytes, **643**
Carr KE *see* McCullough JS *et al*
Carr-Locke DL *see* Tham TCK *et al*
Caselitz M *et al.* Clinical outcome of transfemoral embolisation in patients with arteriovenous malformations of the liver in hereditary haemorrhagic telangiectasia (Weber-Rendu-Osler disease), **123**
Castell DO *see* Peghini PL *et al*
Cataldo F *et al.* Prevalence and clinical features of selective immunoglobulin A deficiency in coeliac disease: an Italian multicentre study, **362**
Cataleta M *see* Muratori L *et al*
Cavalletto L *see* de Moliner L *et al*
Cawkwell L *see* Hayden JD *et al*
Cellier C *see* Landi B *et al*
Cervoni JP *see* Landi B *et al*
Chakravarti S *see* Schneider T *et al*
Chalmers DM *see* Drake IM *et al*
Chambers JB *see* Cooke RA *et al*
Chang F-Y *see* Tsai K *et al*
Changani KK *see* Taylor-Robinson SD *et al*
Chapat O *see* Prat F *et al*
Charles I *see* Vallance P and Charles I
Charrier G *see* Quinton J-F *et al*
Chaussade S *see* Landi B *et al*
Chavan A *see* Caselitz M *et al*
Chaves P *see* Pereira AD *et al*
Chemello L *see* de Moliner L *et al*
Chen FC *see* Kang JY *et al*
Chen F-C *see* Sheen-Chen S-M *et al*
Chen T-S *see* Tsai K *et al*
Cheng Y-F *see* Sheen-Chen S-M *et al*
Chiotakakou-Faliakou E *et al.* Biofeedback provides long term benefit for patients with intractable, slow and normal transit constipation, **517**
Chou F-F *see* Sheen-Chen S-M *et al*
Choudhuri G *see* Sharma BC *et al*
Choury AD *see* Prat F *et al*
Chow S *see* Tham TCK *et al*
Christensen E *see* Møller S *et al*
Cipolla A *see* Ventrucci M *et al*
Clark ML *see* Ballinger AB *et al*
Clements WDB *et al.* Conclusive evidence of endotoxaemia in biliary obstruction, **293**
Collington GK *et al.* Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic *Escherichia coli* (EPEC) infection, **200**
Collins JK *see* Anton P *et al*
Colombel JF *see* Buisine MP *et al*
Colombel J-F *see* Grandbastien B *et al*
see Quinton J-F *et al*
Conradi P *see* Emmrich J *et al*
Cooke RA *et al.* A prospective study of oesophageal function in patients with normal coronary angiograms and controls with angina, **323**
Corazza GR *see* Cataldo F *et al*
Coremans G *see* Wilmer A *et al*
Corleto VD *see* Angeletti S *et al*
Corsi L *see* Avallone R *et al*
Cortot A *see* Grandbastien B *et al*
see Quinton J-F *et al*
Coulie B *see* Tack J *et al*
Couturier D *see* Landi B *et al*
Covacci A *see* Figura N *et al*
Cowley LL *see* George DK *et al*
Cox IJ *see* Taylor-Robinson SD *et al*
Crand J *see* Marteau P *et al*
Crawford DHG *see* George DK *et al*
Crosbee DM *see* McWilliams DF *et al*
Crosbie O *see* McCormick PA *et al*
Cuzick J *see* Atkin WS *et al*

D'Albasio G *see* Palli D *et al*
D'Amato M *see* Hebden JM *et al*
Danesh BJ *see* Mann SD *et al*
Dankert J *see* van der Hulst RWM *et al*
Darekar B *see* Primrose JN *et al*
Dasarathy S, Mullen KD. Benzodiazepines in hepatic encephalopathy: sleeping with the enemy: *commentary,* **764**
Davidson BR *see* Taylor-Robinson SD *et al*
de Almeida JCM *see* Pereira AD *et al*
Deans GT *see* Thompson MH *et al*
de Anta MTJ *see* Guilera M *et al*
Degan P *see* Farinati F *et al*
Dekker J *see* van der Wurff AAM *et al*
de Moliner L *et al.* Serum and liver HCV RNA levels in patients with chronic hepatitis C: correlation with clinical and histological features, **856**
de Muinck Keizer-Schrama SMPF *see* Boot AM *et al*
Dent J *see* Penagini R *et al*
Depoortere I *see* Luiking YC *et al*
de Salvo GL *see* de Moliner L *et al*
Desjeux JF *see* Terpend K *et al*
Dhillon AP *see* Kelly DA *et al*
Dickson A *see* McColl KEL *et al*
di Mario F *see* Farinati F *et al*
Dinjens WNM *see* van der Wurff AAM *et al*
Dixon MF *see* Drake IM *et al*
see Gledhill A and Dixon MF
Do K-A *see* Jass JR *et al*
Dobrovic A *see* Hardingham JE *et al*
Domschke W *see* Kucharzik T *et al*
Dorrell N, Wren BLJ. From genes to genome biology: a new era in *Helicobacter pylori* research: *leader,* **451**
Doyle JS *see* Johnston S *et al*
Drake IM *et al.* Reactive oxygen species activity and lipid peroxidation in *Helicobacter pylori* associated gastritis: relation to gastric mucosal ascorbic acid concentrations and effect of *H pylori* eradication, **768**
Dröge W *see* Sido B *et al*
D'Silva J *see* Simmons MWN *et al*
Dubois D *see* Eggleston A *et al*
Ducot B *see* Prat F *et al*
Duggan A *et al.* Efficacy of ranitidine bismuth citrate (RBC) dual and triple therapies for the eradication of *Helicobacter pylori: letter,* **596**
Duthilleul P *see* Quinton J-F *et al*
Dykhuizen RS *et al. Helicobacter pylori* is killed by nitrite under acidic conditions, **334**
Dymock RB *see* Hardingham JE *et al*

Ebert EC. Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
Ecker KW *see* Gross V *et al*
Edili E *see* Palli D *et al*
Edwards R *see* Atkin WS *et al*
Eggleston A *et al.* Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
Ehsanullah RSB *see* Primrose JN *et al*
Ekblad E *et al.* Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**
Ekbom A *see* Karlén P *et al*
El-Nujumi A *see* McColl KEL *et al*
El-Nujumi A *et al.* Eradicating *Helicobacter pylori* reduces hypergastrinaemia during long term omeprazole treatment, **159**
El-Omar EM *see* McColl KEL *et al*
Emmanuel AV *et al.* Effect of a novel prokinetic drug, R093877, on gastrointestinal transit in healthy volunteers, **511**
Emmrich J *et al.* Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
Erwin P *see* Clements WDB *et al*
Esumi *see* Nomura S *et al*
Ewe K *see* Gross V *et al*

Fakis G *see* Hickman D *et al*
Fanning GC *see* Mullighan CG *et al*
Farina F *see* Avallone R *et al*
Farinati F *et al.* Oxidative DNA damage accumulation in gastric carcinogenesis, **351**
Farmery SM *see* Welsh FKS *et al*
Farrugia G *et al.* The effect of flufenamic acid on gastrointestinal myoelectrical activity and transit time in dogs, **258**
Farthing MJG *see* Ballinger AB *et al*
see Bearcroft CP *et al*
see Greaves R *et al*
Farthing MJG *Gut* in 1998—Looking back, looking forward: *editorial,* **1**
Fave GD *see* Angeletti S *et al*
Feldman M *see* Guslandi M *et al*
Ferrarese C *see* Avallone R *et al*
Fielding JWL. H_2 antagonists for gastric cancer: small numbers are not beautiful: *commentary,* **9**
Figura N *et al. cag*A positive and negative *Helicobacter pylori* strains are simultaneously present in the stomach of most patients with non-ulcer dyspepsia: relevance to histological damage, **772**
Finch M *see* Neoptolemos JP *et al*
Fisher RS *see* Parkman HP *et al*
Fitzgerald RC, Hupp TR. Stress protein response in human oesophageal epithelium may be influenced by the ex vivo culture technique: *letter,* **307**

Fitzgerald RC *et al.* Consideration of histopathological subtypes and biopsy techniques in Barrett's oesophagus surveillance programmes: *letter*, **448**
Fléjou J-F *see* Malka D *et al*
Fletcher LM *see* George DK *et al*
Folwaczny C *see* Fricke H *et al*
Forns X *see* Guilera M *et al*
Forstrom LA *see* Saslow SB *et al*
Foster CS *see* Taylor-Robinson SD *et al*
Foucault M *see* Marteau P *et al*
Franchimont D *see* Grandbastien B *et al*
Fraser A *see* Dykhuizen RS *et al*
Fricke H *et al.* Serum p53 antibodies in patients with chronic inflammatory bowel disease: *letter*, **899**
Friess H *see* Reubi JC *et al*
Frigo M *see* Avallone R *et al*
Fritsch J *see* Prat F *et al*
Fujimori H *see* Kimura H *et al*
Fukudo S *et al.* Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotropic hormone in normal controls and patients with irritable bowel syndrome, **845**
Fukumura M *see* Shindo K *et al*
Fullerton S *see* Mertz H *et al*
Fyssas I *see* Syrigos KN *et al*

Gabel MB *see* Lurie Y *et al*
see Lurie Y *et al*
Galanski M *see* Caselitz M *et al*
Galmiche JP. Gastro-oesophageal reflux: does it matter what you eat?: *commentary*, **318**
Ganga-Zandzou PS *see* Michaud L *et al*
Gaudric M *see* Landi B *et al*
Gebel M *see* Caselitz M *et al*
Gennari C *see* Figura N *et al*
George DK *et al.* Evidence for altered hepatic matrix degradation in genetic haemochromatosis, **715**
Ghillebert G, Janssens J. Oesophageal pain in coronary artery disease: *commentary*, **312**
Gierend M *see* Gross V *et al*
Gionchetti P *see* Nikolaus S *et al*
Gledhill A, Dixon MF. Crohn's-like reaction in diverticular disease, **392**
Gleeson MH *et al.* Emergency admission to hospital for colitis due to inflammatory bowel disease: *letter*, **144**
Glória L *see* Pereira AD *et al*
Goebell H *see* Holtmann G *et al*
Goiny M *see* Oldner A *et al*
Gokhale J *see* Primrose JN *et al*
Golden M *see* Dykhuizen RS *et al*
Goldman M *see* Carol M *et al*
Golematis BC *see* Syrigos KN *et al*
Gong F *see* Hepworth CC *et al*
Goodlad RA *see* McCullough JS *et al*
Gordon FH *et al.* Outcome of orthotopic liver transplantation in patients with haemophilia, **744**
Gottrand F *see* Michaud L *et al*
Gower P *see* Buisine MP *et al*
Gower-Rousseau C *see* Grandbastien B *et al*
Grandbastien B *see* Quinton J-F *et al*
Grandbastien B *et al.* Anticipation in familial Crohn's disease, **170**
Grant G *see* Bardócz S *et al*
Gray R *see* Simmons MWN *et al*
Greaves R *et al.* Effect of the nitric oxide donor, glyceryl trinitrate, on human gall bladder motility, **410**
Green JT *see* Thomas GAO *et al*
Gross U *see* Karvar S *et al*
Gross V *et al.* Low dose oral pH modified release budesonide for maintenance of steroid induced remission in Crohn's disease, **493**
Guella L *see* Petrik J *et al*
Guilera M *et al.* Hepatitis G virus infection in chronic liver disease, **107**
Guillou PJ *see* Welsh FKS *et al*
see Windsor ACJ *et al*
Guimbaud R *see* Landi B *et al*
Guslandi M *et al.* The aging stomach: *letter*, **757**
Guthrie JA *see* Windsor ACJ *et al*

Haber PS *see* Norton ID *et al*
Hack V *see* Sido B *et al*
Halliday I *see* Clements WDB *et al*
Hammel P *see* Malka D *et al*
Hampe J *see* Schreiber S *et al*
Haraldsen G *see* Nilsen EM *et al*
Hardcastle JD *see* Hunt LM *et al*
Harding JJ *et al.* The genetics of ulcerative colitis based on one Swede: *letter*, **759**
Hardingham JE *et al.* Somatic mutations, acetylator status, and prognosis in colorectal cancer, **669**
Harrington KJ *see* Syrigos KN *et al*
Harris A *see* Reid CJ and Harris A
Harris RM *et al.* Inhibition of phenolsulphotransferase by salicylic acid: a possible mechanism by which aspirin may reduce carcinogenesis, **272**
Harrison DJ *see* Haydon GH *et al*
Hart A *see* Atkin WS *et al*
Harty GJ *see* Farrugia G *et al*
Haskel Y *see* Udassin R *et al*
Haverkort EB *see* Bruno MJ *et al*
Hawker RJ *see* Harris RM *et al*
Hawkey CJ *see* McAlindon ME *et al*
Hawkins PN *see* Lovat LB *et al*
Haycox A *see* Eggleston A *et al*
Hayden JD *et al.* The role of microsatellite instability in gastric carcinoma: *review*, **300**
Haydon GH *et al.* Clinical significance of intrahepatic hepatitis C virus levels in patients with chronic HCV infection, **570**
Hayes PC *see* Haydon GH *et al*
see Stanley AJ *et al*
Heatley RV *et al.* Dual publication: *letter*, **595**
Hebbard G *see* Penagini R *et al*
Hebden JM *et al.* Small bowel transit of a bran meal residue in humans: sieving of solids from liquids and response to feeding, **685**
Hegedűs G *see* Melegh B *et al*
Heise W *see* Schneider T *et al*
Hellerbrand C *see* Jobin C *et al*
Henriksen JH *see* Møller S *et al*
Hepworth CC *et al.* A randomised controlled comparison of injection, thermal, and mechanical endoscopic methods of haemostasis on mesenteric vessels, **462**
Herfarth C *see* Sido B *et al*
Heyman M *see* Terpend K *et al*
Hickman D *et al.* Expression of arylamine *N*-acetyltransferase in human intestine, **402**
Higuchi H *see* Kimura H *et al*
Hilditch TE *see* McColl KEL *et al*
Hillingsø J *see* Møller S *et al*
Hinton J *see* Petrik J *et al*
Hirokawa M *see* Kimura H *et al*
Hobsley M *see* Tovey FI and Hobsley M
Hochlehnert A *see* Sido B *et al*
Hodgson HJF *see* Taylor-Robinson SD *et al*
Hokari R *see* Kimura H *et al*
Holloway RH *see* Penagini R *et al*
Holtmann G *et al.* Altered vagal and intestinal mechanosensory function in chronic unexplained dyspepsia, **501**
Homan A *see* van der Hulst RWM *et al*
Hongo M *see* Fukudo S *et al*
Hopkins SJ *see* Warhurst AC *et al*
Horie T *see* Shimizu I *et al*
Horowitz M *see* Penagini R *et al*
Howell D *see* Tham TCK *et al*
Huijghebaert S *see* Eggleston A *et al*
Hunt LM *et al.* Endoscopic screening of relatives of patients with colorectal cancer, **71**
Hupp TR *see* Fitzgerald RC and Hupp TR

Iino H *see* Jass JR *et al*
Iishi H *see* Iseki K *et al*
Ikeda H *et al.* Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
Ikenoue T *see* Maeda S *et al*
Imanishi J *see* Yamaoka Y *et al*
Iseki K *et al. Helicobacter pylori* infection in patients with early gastric cancer by the endoscopic phenol red test, **20**
Ishiguro S *see* Iseki K *et al*
Ishii H *see* Kimura H *et al*
Italian Society of Paediatric Gastroenterology and Hepatology (SIGEP) *see* Cataldo F *et al*
Ito S *see* Shimizu I *et al*
Itoh G *see* Ikeda H *et al*

Jahnsen FL *see* Nilsen EM *et al*
James OFW *see* Smith BC and James OFW
Janin A *see* Buisine MP *et al*
Jansen JBMJ *see* Laheij RJF *et al*
Jansen PLM, Müller MM. Progressive familial intrahepatic cholestasis types 1, 2, and 3: *science alert*, **766**
Janssens J *see* Ghillebert G and Janssens J
see Tack J *et al*
see Wilmer A *et al*
Jarvis LM *see* Haydon GH *et al*
Jass JR *see* Ajioka Y *et al*
Jass JR *et al.* Morphology of sporadic colorectal cancer with DNA replication errors, **673**
Jewell DP *see* Harding JJ *et al*
see Orchard TR *et al*
Jobin C *et al.* Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**

Jockenhoevel F *see* Holtmann G *et al*
Johansen F-E *see* Nilsen EM *et al*
Johnston S *et al.* "Golf ball liver": a cause of chronic hepatitis?: *letter*, **143**
Johnstone D *see* O'Boyle CJ *et al*
Jones K *see* Penagini R *et al*
Jones M *see* Talley NJ *et al*
see Talley NJ *et al*

Kadirkamanathan SS *see* Hepworth CC *et al*
Kalloo A *see* Sand J *et al*
Kaminishi M *see* Nomura S *et al*
Kamm MA *see* Chiotakakou-Faliakou E *et al*
see Emmanuel AV *et al*
see Mann SD *et al*
Kanai F *see* Maeda S *et al*
Kang JY *et al.* Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**
Kanwar S *see* Windsor ACJ *et al*
Karlén P *et al.* Is colonoscopic surveillance reducing colorectal cancer mortality in ulcerative colitis? A population based case control study, **711**
Karvar S *et al.* Immunoblot assay for detection of salivary antibodies directed against *Helicobacter pylori: letter*, **900**
Kashima K *see* Yamaoka Y *et al*
Kate JT *see* van der Wurff AAM *et al*
Katelaris PH. Treating young dyspeptic patients: *letter*, **595**
Kato N *see* Maeda S *et al*
Katz PO *see* Peghini PL *et al*
Kellow JE *see* Bennett EJ *et al*
Kelly DA *et al.* Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**
Kelman AW *see* McColl KEL *et al*
Kimura H *et al.* Increased expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in colonic mucosa of patients with active ulcerative colitis, **180**
Kingham JGC *see* Parker DR and Kingham JGC
Kingham JGC, Parker DR. The association between primary biliary cirrhosis and coeliac disease: a study of relative prevalences, **120**
Kita M *see* Yamaoka Y *et al*
Kleinschnitz M *see* Avallone R *et al*
Knight LC *see* Parkman HP *et al*
Knollmann R *see* Lankisch PG *et al*
Knutton S *see* Collington GK *et al*
Kobayashi M *see* Ajioka Y *et al*
Kodama T *see* Yamaoka Y *et al*
Koide K *see* Shindo K *et al*
Koike M *see* Ikeda H *et al*
Kong C-W *see* Tsai K *et al*
König H *see* Lankisch PG *et al*
Konstandoulakis MM *see* Syrigos KN *et al*
Kornfeld D *see* Karlén P *et al*
Kountouras J, Walt RP. Diagnostic tests for *Helicobacter pylori: letter*, **900**
Kouroumalis E *et al.* Treatment of hepatocellular carcinoma with octreotide: a randomised controlled study, **442**
Kozarek RA. Coming clean on reuse of endoscopic equipment: *commentary*, **155**
Krenning EP *see* Boot AM *et al*
Kreuzpainter G *see* Thomas GAO *et al*
Kristodhullu S *see* Figura N *et al*
Kucharzik T *et al.* Human intestinal M cells exhibit enterocyte-like intermediate filaments, **54**
Kurose I *see* Kimura H *et al*

Laffy J *see* Murphy D *et al*
Lafontaine DA *et al.* Identification of a Crohn's disease specific transcript with potential as a diagnostic marker, **878**
Laheij RJF *et al.* History of dyspepsia in patients with gastric cancer: *letter*, **758**
Laissue J *see* Reubi JC *et al*
Lambort I *see* Lurie Y *et al*
see Lurie Y *et al*
Lambrechts A *see* Carol M *et al*
Landi B *et al.* Diagnostic yield of push-type enteroscopy in relation to indication, **421**
Landon J *see* Ballinger AB *et al*
Langman MJS *see* Harris RM *et al*
Lankisch PG *et al.* Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**
Lawrance RJ *see* Roseveare CD *et al*
Lecomte-Houcke M *see* Buisine MP *et al*
Lee CA *see* Gordon FH *et al*
Lee M *see* Guslandi M *et al*
Lee S-D *see* Tsai K *et al*
Lee T-Y *see* Sheen-Chen S-M *et al*
Leggett B *see* Jass JR *et al*
Lehnick D *see* Lankisch PG *et al*
Leicester R *see* Simmons MWN *et al*
Leifert C *see* Dykhuizen RS *et al*
Leitão CN *see* Pereira AD *et al*
Lenzi M *see* Muratori L *et al*
Leonard C *see* Johnston S *et al*
Li AGK *see* Windsor ACJ *et al*
Li X *et al.* The relationship between intrahepatic portal systemic shunts and microsphere induced portal hypertension in the rat liver, **276**
Libby ED *see* Tham TCK *et al*
Libin M *see* Carol M *et al*
Licato LL *see* Jobin C *et al*
Lichtenstein DR *see* Tham TCK *et al*
Liebe S *see* Lankisch PG *et al*
Liebe S *see* Emmrich J *et al*
Lipps H *see* Sido B *et al*
Liu F *see* Shimizu I *et al*
Lochs H *see* Nikolaus S *et al*
Loeschke K *see* Gross V *et al*
Loew CK *see* Thompson MH *et al*
Löfberg R *see* Karlén P *et al*
Loffeld RJLF. Functional dyspepsia in the young: *letter*, **595**
Logan RFA. Inflammatory bowel disease incidence: up, down or unchanged?: *leader*, **309**
Löhr M *see* Emmrich J *et al*
see Lankisch PG *et al*
López-Labrador FX *see* Guilera M *et al*
Lovat LB *et al.* The liver in systemic amyloidosis: insights from I serum amyloid P component scintigraphy in 484 patients, **727**
Lu F-J *see* Tsai K *et al*
Lugering N *see* Kucharzik T *et al*
Luiking YC *et al.* Motilin induces gall bladder emptying and antral contractions in the fasted state in humans, **830**
Lund PK. The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel: *science alert*, **320**
Lundin KEA *see* Nilsen EM *et al*
Lurie Y *et al.* Iron reduction therapy in hepatitis C: *letter*, **759**

Ma Y-R *see* Shimizu I *et al*
McAlindon ME *et al.* Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
McCaigue MD *see* Clements WDB *et al*
McCartney SA *see* Warner TD and McCartney SA
McCaughan GW *see* Norton ID *et al*
McColl KEL *see* El-Nujumi A *et al*
McColl KEL *et al.* Assessment of symptomatic response as predictor of *Helicobacter pylori* status following eradication therapy in patients with ulcer, **618**
McCormick PA *et al.* Tranexamic acid for severe bleeding gastric antral vascular ectasia in cirrhosis, **750**
McCullough JS *et al.* Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**
McCusker G *see* Johnston S *et al*
Macdonald CE *see* Fitzgerald RC *et al*
MacDonald TM *see* Gleeson MH *et al*
MacDonald TT. Viral vectors expressing immunoregulatory cytokines to treat inflammatory bowel disease: *science alert*, **460**
McFarlane IG. The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader*, **599**
MacFie J *see* O'Boyle CJ *et al*
Machida M *see* Shindo K *et al*
McIntyre P *see* Atkin WS *et al*
McKenzie H *see* Dykhuizen RS *et al*
McLean A *see* Greaves R *et al*
MacLennan K *see* Welsh FKS *et al*
McWilliams DF *et al.* Coexpression of gastrin and gastrin receptors (CCK-B and ΔCCK-B) in gastrointestinal tumour cell lines, **795**
Madhoo S *see* Lovat LB *et al*
Maeda S *et al.* Major virulence factors, VacA and CagA, are commonly positive in *Helicobacter pylori* isolates in Japan, **338**
Mahida YR *see* McAlindon ME *et al*
Malfertheiner P *see* Duggan A *et al*
see Heatley RV *et al*
Malka D *et al.* Chronic obstructive pancreatitis due to a pancreatic cyst in a patient with autosomal dominant polycystic kidney disease, **131**
Malnick SDH *see* Lurie Y *et al*
Mandir N *see* McCullough JS *et al*
Mangano M *see* Penagini R *et al*
Mann SD *et al.* Intractable vomiting due to a brainstem lesion in the absence of neurological signs or raised intracranial pressure, **875**
Manns MP *see* Caselitz M *et al*
Manousos ON *see* Kouroumalis E *et al*
Mapstone NP *see* Drake IM *et al*
Marcus CD *see* Taylor-Robinson SD *et al*
Marignani M *see* Angeletti S *et al*
Marigold JH. Pneumatosis cystoides coli and chloral hydrate: *letter*, **899**
Marino V *see* Cataldo F *et al*
Marrelli D *see* Figura N *et al*
Marsh MN *see* Mulder C *et al*

Marshall SE *see* Mullighan CG *et al*
Marteau P *et al.* Use of mesalazine slow release suppositories 1 g three times per week to maintain remission of ulcerative proctitis: a randomised double blind placebo controlled multicentre study, **195**
Martin DF *see* Thompson MH *et al*
Martin IG *see* Hayden JD *et al*
Marx PTJ *see* van der Wurff AAM *et al*
Masala G *see* Palli D *et al*
Mascart-Lemone F *see* Carol M *et al*
Maurer AH *see* Parkman HP *et al*
Mayer EA *see* Mertz H *et al*
Mégraud F *see* Duggan A *et al*
see Heatley RV *et al*
Melegh B *et al.* Autoantibodies against subunits of pyruvate dehydrogenase and citrate synthase in a case of paediatric biliary cirrhosis, **753**
Mercure S *see* Lafontaine DA *et al*
Mertz H *et al.* Symptoms and visceral perception in severe functional and organic dyspepsia, **814**
Metcalf J. Coeliac disease and primary biliary cirrhosis: a case for mutual screening: *commentary*, **9**
Michaeli D *see* McWilliams DF *et al*
Michaud L *et al.* Gastric bacterial overgrowth is a cause of false positive diagnosis of *Helicobacter pylori* infection using ^{13}C urea breath test: *letter*, **594**
Milingos N *see* Syrigos KN *et al*
Miller GV *see* Primrose JN *et al*
Miller J *see* Greaves R *et al*
Miller MA *see* Parkman HP *et al*
Mills JG *see* Primrose JN *et al*
Mira FC *see* Pereira AD *et al*
Mistry PK *see* Gordon FH *et al*
Mitchell CJ *see* O'Boyle CJ *et al*
Miura S *see* Kimura H *et al*
Mizobuchi Y *see* Shimizu I *et al*
Møller S *et al.* Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**
Moretti A *see* Angeletti S *et al*
Mortensen PB *see* Myrup B *et al*
Moschandrea J *see* Kouroumalis E *et al*
Mulcahy H *see* Ballinger AB *et al*
Mulder C *et al.* When is a coeliac a coeliac?: *letter*, **594**
Mullen KD *see* Dasarathy S and Mullen KD
Muller MM *see* Jansen PLM and Müller MM
Mullighan CG *et al.* A rapid method of haplotyping *HFE* mutations and linkage disequilibrium in a Caucasoid population, **566**
Muratori L *et al.* Liver/kidney microsomal antibody type 1 and liver cytosol antibody type 1 concentrations in type 2 autoimmune hepatitis, **721**
Muratori P *see* Muratori L *et al*
Murphy D *et al.* Electrical spinal cord stimulation for painful peripheral neuropathy secondary to coeliac disease: *letter*, **448**
Murphy GM. Depressing acid, deconjugating bile: *commentary*, **154**
Murray LS *see* McColl KEL *et al*
Myrup B *et al.* Treatment of enteritis in chronic granulomatous disease with granulocyte colony stimulating factor, **127**

Naccarato R *see* Farinati F *et al*
Naliboff B *see* Mertz H *et al*
Neale G. Reducing risks in gastroenterological practice: *occasional viewpoint*, **139**
Negi TS *see* Sharma BC *et al*
Neoptolemos JP *et al.* Acute pancreatitis: the substantial human and financial costs: *review*, **886**
Neurath MF. Pathogenesis of inflammatory bowel disease: transcription factors in the spotlight: *commentary*, **458**
Newcombe RG *see* Thomas GAO *et al*
Nieuwenhuijs VB *see* Luiking YC *et al*
Nikolaus S *see* Schreiber S *et al*
Nikolaus S *et al.* Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
Nilsen EM *et al.* Cytokine profiles of cultured microvascular endothelial cells from the human intestine, **635**
Nishikura K *see* Ajioka Y *et al*
Nitecki S *see* Farrugia G *et al*
Noehl N *see* Fricke H *et al*
Nomura M *see* Ikeda H *et al*
Nomura S *et al.* Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**
Nomura T *see* Fukudo S *et al*
Nordback I *see* Sand J *et al*
Northover JMA *see* Atkin WS *et al*
Norton ID *et al.* Cytochrome P4502E1 is present in rat pancreas and is induced by chronic ethanol administration, **426**

O'Boyle CJ *et al.* Microbiology of bacterial translocation in humans, **29**
O'Connell D *see* Anton P *et al*
O'Connell J *see* Anton P *et al*
O'Donnell L *see* Greaves R *et al*
O'Farrelly C. Just how inflamed is the normal gut?: *commentary*, **603**
Ogura K *see* Maeda S *et al*
Oien K *see* El-Nujumi A *et al*
O'Keane C *see* Johnston S *et al*
O'Keeffe D *see* Murphy D *et al*
Oldner A *et al.* The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**
Olmedo E *see* Guilera M *et al*
Omata M *see* Maeda S *et al*
O'Morain C *see* Duggan A *et al*
see Heatley RV *et al*
Oohara T *see* Nomura S *et al*
Ooi H *see* McCormick PA *et al*
Orchard TR *et al.* Peripheral arthropathies in inflammatory bowel disease: their articular distribution and natural history, **387**
O'Sullivan GC *see* Anton P *et al*
Owen RL. Mid-life crisis for M cells: *science alert*, **11**
Owen WJ *see* Cooke RA *et al*

Pacini F *see* Palli D *et al*
Pajor L *see* Melegh B *et al*
Palitzsch K-D *see* Arndt H *et al*
Palli D *et al.* General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
Palmer K *see* Bennett EJ *et al*
Papadopoulos S *see* Syrigos KN *et al*
Parés A *see* Guilera M *et al*
Parker DR *see* Kingham JGC and Parker DR
Parker DR, Kingham JGC. Autoimmune hepatitis in the elderly: *letter*, **448**
Parker H *see* Petrik J *et al*
Parkman HP *et al.* Effect of gastric acid suppressants on human gastric motility, **243**
Pasricha P *see* Sand J *et al*
Patil SD *see* Hickman D *et al*
Pauli G *see* Schneider T *et al*
Payton M *see* Hickman D *et al*
"Club del Tenue" Working Groups on Coeliac Disease *see* Cataldo F *et al*
Pearson GM *see* Petrik J *et al*
Pecora N *see* Avallone R *et al*
Peeters M *see* Grandbastien B *et al*
Peeters T *see* Tack J *et al*
Peeters TL *see* Luiking YC *et al*
Peghini PL *et al.* Imipramine decreases oesophageal pain perception in human male volunteers, **807**
Pelletier G *see* Prat F *et al*
Penagini R *et al.* Effect of increasing the fat content but not the energy load of a meal on gastro-oesophageal reflux and lower oesophageal sphincter motor function, **330**
Motor function of the proximal stomach and visceral perception in gastro-oesophageal reflux disease, **251**
Pennington CR. Feeding the inflamed pancreas: *commentary*, **315**
Pepys MB *see* Lovat LB *et al*
Pereira AD *et al.* Short segments of Barrett's epithelium and intestinal metaplasia in normal appearing oesophagogastric junctions: the same or two different entities?, **659**
Pereira SP, Williams R. Limits to liver transplantation in the UK: *occasional viewpoint*, **883**
Perkins AC *see* Hebden JM *et al*
Perreault J-P *see* Lafontaine DA *et al*
Perrett D *see* Bearcroft CP *et al*
Persey MR *see* Lovat LB *et al*
Persson P-G *see* Karlén P *et al*
Petrik J *et al.* Hepatic histology in hepatitis C virus carriers coinfected with hepatitis G virus, **103**
Peveretos P *see* Syrigos KN *et al*
Phillips R *see* Spigelman A *et al*
Piasecki C *see* Kelly DA *et al*
Piesse C *see* Bennett EJ *et al*
Pillay SP *see* Jass JR *et al*
Pirola RC *see* Norton ID *et al*
Pitot HC *see* Saslow SB *et al*
Plath F *see* Emmrich J *et al*
Plauth M *see* Gross V *et al*
Playford RJ *see* Fitzgerald RC *et al*
Pleskow D *see* Tham TCK *et al*
Ponchon T *see* Prat F *et al*
Pontisso P *see* de Moliner L *et al*
Pope J *see* Hickman D *et al*
Porchet N *see* Buisine MP *et al*
Pörsti I *see* Sand J *et al*
Portincasa P *see* Luiking YC *et al*
Poulain D *see* Quinton J-F *et al*
Pounder RE *see* Kelly DA *et al*
Powell LW *see* George DK *et al*
Powrie F *see* Asseman C and Powrie F
Prat F *et al.* Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
Presenti L *see* Figura N *et al*

Preston SR *see* Primrose JN *et al*
Primrose JN *et al.* A prospective randomised controlled study of the use of ranitidine in patients with gastric cancer, **17**
Prytz H *see* Benoni C and Prytz H
Pusztai A *see* Bardócz S *et al*

Qaseem T *see* Tham TCK *et al*
Quinton J-F *et al.* Anti-*Saccharomyces cerevisiae* mannan antibodies combined with antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease: prevalence and diagnostic role, **788**
Quirke P *see* Hayden JD *et al*

Radford-Smith G *see* Jass JR *et al*
Raedler A *see* Gross V *et al*
Rajagopalan M. Research misconduct and redundant publication: *letter*, **449**
Rambaud J-C *see* Marteau P *et al*
Ramm GA *see* George DK *et al*
Raraty M *see* Neoptolemos JP *et al*
Rasenack J *see* Gross V *et al*
Ratcliffe B *see* McCullough JS *et al*
Raybould HE. Capsaicin sensitivity and epidermal growth factor: *commentary*, **314**
Reid CJ, Harris A. Developmental expression of mucin genes in the human gastrointestinal system, **220**
Reubi JC *et al.* Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
Reumaux D *see* Quinton J-F *et al*
Reynolds JV *see* Welsh FKS *et al*
see Windsor ACJ *et al*
Rhodes J *see* Thomas GAO *et al*
Richter JE. Intestinal metaplasia and the squamocolumnar junction: what does it all mean?: *commentary*, **604**
Riecken EO *see* Schneider T *et al*
Riley SA. What dose of 5-aminosalicylic acid (mesalazine) in ulcerative colitis?: *leader*, **761**
Roberts-Thomson IC *see* Hardingham JE *et al*
Roda A *see* Ventrucci M *et al*
Roda E *see* Ventrucci M *et al*
Roder D *see* Hardingham JE *et al*
Rodés J *see* Guilera M *et al*
Roelofs JMM *see* Salet GAM *et al*
Rolles K *see* Taylor-Robinson SD *et al*
Rooney PS *see* Hunt LM *et al*
Roorda P *see* van der Hulst RWM *et al*
Roseveare CD *et al. Helicobacter pylori*: beware "blind" eradication!: *letter*, **757**
Rostami K *see* Mulder C *et al*
Roviello F *see* Figura N *et al*
Rowbotham D *et al.* Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases, **576**
Rowlands BJ *see* Clements WDB *et al*
Roy AJ *see* Chiotakakou-Faliakou E *et al*
see Emmanuel AV *et al*
Royston CMS *see* Thompson MH *et al*
Rubin J *see* Saslow SB *et al*
Rudehill A *see* Oldner A *et al*
Rugge M *see* Farinati F *et al*
Rutgeerts P *see* Grandbastien B *et al*
Ruymann F *see* Tham TCK *et al*

Sabin CA *see* Gordon FH *et al*
Saeed N *see* Taylor-Robinson SD *et al*
Sagar PM *see* O'Boyle CJ *et al*
Sage RE *see* Hardingham JE *et al*
Saieva C *see* Palli D *et al*
Sáiz JC *see* Guilera M *et al*
Salet GAM *et al.* Responses to gastric distension in functional dyspepsia, **823**
Samsom M *see* Salet GAM *et al*
Samuni A *see* Udassin R *et al*
Sánchez-Tapias JM *see* Guilera M *et al*
Sand J *et al.* Effects of botulinum toxin A on the sphincter of Oddi: an in vivo and in vitro study, **507**
Saraiva A *see* Pereira AD *et al*
Saraswat VA *see* Sharma BC *et al*
Sargentoni J *see* Taylor-Robinson SD *et al*
Sartor RB *see* Jobin C *et al*
Saslow SB *et al.* Medium term effects of a new 5HT, antagonist, alosetron, in patients with carcinoid diarrhoea, **628**
Satsangi J *see* Harding JJ *et al*
Sawai N *see* Yamaoka Y *et al*
Schölmerich J *see* Arndt H *et al*
see Gross V *et al*
Schillaci O *see* Angeletti S *et al*
Schlitt HJ *see* Caselitz M *et al*
Schmid KW *see* Kucharzik T *et al*
Schmidt I *see* Lankisch PG *et al*
Schmidt MA *see* Kucharzik T *et al*
Schmidt W *see* Schneider T *et al*
Schneider T *et al.* Increased immunoglobulin G production by short term cultured duodenal biopsy samples from HIV infected patients, **357**
Scholz T *see* Nilsen EM *et al*
Schorah CJ *see* Drake IM *et al*
Schreiber S *see* Nikolaus S *et al*
Schreiber S *et al.* Activation of nuclear factor κB in inflammatory bowel disease, **477**
Schreier P *see* Avallone R *et al*
Scolapio JS *see* Saslow SB *et al*
Scopinaro F *see* Angeletti S *et al*
Searle J *see* Jass JR *et al*
Sedman P *see* Thompson MH *et al*
Sedman PC *see* O'Boyle CJ *et al*
Sendid B *see* Quinton J-F *et al*
Serizawa H *see* Kimura H *et al*
Seth R *see* McWilliams DF *et al*
Seyfarth M *see* Emmrich J *et al*
Shanahan F *see* Anton P *et al*
Sharma BC *et al.* Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**
Sheen-Chen S-M *et al.* Ductal dilatation and stenting for residual hepatolithiasis: a promising treatment strategy, **708**
Sheridan MB *see* Welsh FKS *et al*
Shiba M *see* Shimizu I *et al*
Shigematsu T *see* Kimura H *et al*
Shimizu I *et al.* Suppressive effect of oestradiol on chemical hepatocarcinogenesis in rats, **112**
Shindo K *et al.* Omeprazole induces altered bile acid metabolism, **266**
Shiratori Y *see* Maeda S *et al*
Shouval D. Octreotide in hepatocellular carcinoma: *commentary*, **454**
Shulkes A *see* Baldwin GS and Shulkes A
Sido B *et al.* Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
Silecchia G *see* Angeletti S *et al*
Silk DBA *see* Bowling TE and Silk DBA
Sim E *see* Hickman D *et al*
Simmonds P *see* Haydon GH *et al*
Simmons MWN *et al.* Report of the Working Party of the Endoscopy Committee of the British Society of Gastroenterology on the reuse of endoscopic accessories: *review*, **304**
Simms LA *see* Jass JR *et al*
Simpson KJ *see* Haydon GH *et al*
Singh S *see* Harris RM *et al*
Sjuve R *see* Ekblad E *et al*
Skordilis P *see* Kouroumalis E *et al*
Skuta G *see* Melegh B *et al*
Smelt V *see* Hickman D *et al*
Smith BC, James OFW. The failing malignant liver: *commentary*, **454**
Smout AJPM *see* Salet GAM *et al*
Soares J *see* Pereira AD *et al*
Sollevi A *see* Oldner A *et al*
Soumatzky T *see* Lurie Y *et al*
see Lurie Y *et al*
Spark JI *see* Windsor ACJ *et al*
Sparmann G *see* Emmrich J *et al*
Speckel D *see* Grandbastien B *et al*
Spigelman A *et al.* Surveillance of the duodenum in patients with familial adenomatous polyposis: *letter*, **144**
Spiller RC *see* Hebden JM *et al*
Stanley AJ *et al.* Acute effect of propranolol and isosorbide-5-mononitrate administration on renal blood flow in cirrhotic patients, **283**
Stanley LA *see* Hickman D *et al*
Steinhart AH *see* Sutherland LR and Steinhart AH
Stolk MFJ *see* Luiking YC *et al*
Stoll R *see* Kucharzik T *et al*
Storrie JB *see* Chiotakakou-Faliakou E *et al*
Strohmeyer G *see* Thomas GAO *et al*
Sugiyama K *see* Nomura S *et al*
Sumegi B *see* Melegh B *et al*
Sundler F *see* Ekblad E *et al*
Suspiro A *see* Pereira AD *et al*
Sutherland LR, Steinhart AH. Mesalazine as a maintenance treatment in Crohn's disease: *letter*, **143**
Sutton R *see* Neoptolemos JP *et al*
Sutton S *see* Atkin WS *et al*
Suvakovic Z *see* Laheij RJF *et al*
Suzuki M *see* Ikeda H *et al*
Suzuki Y *see* Ikeda H *et al*
Swain CP *see* Hepworth CC *et al*
Swift GL *see* Thomas GAO *et al*
Syrigos KN *et al.* Beta human chorionic gonadotropin concentrations in serum of patients with pancreatic adenocarcinoma, **88**
Szurszewski JH *see* Farrugia G *et al*

Tack J *see* Wilmer A *et al*
Tack J *et al.* Actions of the 5-hydroxytryptamine 1 receptor agonist sumatriptan on interdigestive gastrointestinal motility in man, **36**

Talley NJ *see* Holtmann G *et al*
Talley NJ *et al.* Identification of distinct upper and lower gastrointestinal symptom groupings in an urban population, **690**
Is the association between irritable bowel syndrome and abuse explained by neuroticism? A population based study, **47**
Tamura J *see* Ikeda H *et al*
Tanahashi T *see* Yamaoka Y *et al*
Tarantino O *see* Palli D *et al*
Targan SR *see* Quinton J-F *et al*
Tatsuta M *see* Iseki K *et al*
Taylor-Robinson SD *et al.* In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts, **735**
Teng CH *see* Kang JY *et al*
Tennant CC *see* Bennett EJ *et al*
Terpend K *et al.* Protein transport and processing by human HT29-19A intestinal cells: effect of interferon γ, **538**
Tham TCK *et al.* Management of occluded biliary Wallstents, **703**
Thermos K *see* Kouroumalis E *et al*
Thim L *see* Appelros S *et al*
Thomas EL *see* Taylor-Robinson SD *et al*
Thomas GAO *et al.* Controlled trial of antituberculous chemotherapy in Crohn's disease: a five year follow up study, **497**
Thomas WEG *see* Thompson MH *et al*
Thomforde GM *see* Saslow SB *et al*
Thompson MH *et al.* Are complications of endoscopic sphincterotomy age related?: *letter,* **758**
Tijssen GP *see* Bruno MJ *et al*
Tkoub M *see* Landi B *et al*
Tobinson TJ *see* Johnston S *et al*
Tong J *see* Ikeda H *et al*
Tovey FI, Hobsley M. Cereal fibre and rectal epithelial cell proliferation: a possible link with duodenal ulceration: *letter,* **143**
Trallori G *see* Palli D *et al*
Trate DM *see* Parkman HP *et al*
Tsai K *et al.* Oxidative stress: an important phenomenon with pathogenetic significance in the progression of acute pancreatitis, **850**
Tsuzuki Y *see* Kimura H *et al*
Turck D *see* Michaud L *et al*
Turner IC *see* Chiotakakou-Faliakou E *et al*
Tytgat GNJ *see* Bruno MJ *et al*
see van der Hulst RWM *et al*

Ubalducci GM *see* Ventrucci M *et al*
Udassin R *et al.* Nitroxide radical attenuates ischaemia/reperfusion injury to the rat small intestine, **623**
Uhl W *see* Büchler MW *etal*
Ullrich R *see* Schneider T *et al*
Unadkat JD *see* Hickman D *et al*
Urbain J-LC *see* Parkman HP *et al*
Urban S *see* Fricke H *et al*

Vaira D *see* Figura N *et al*
Valerius NH *see* Myrup B *et al*
Vallance P, Charles I. Nitric oxide as an antimicrobial agent: does NO always mean NO?: *commentary,* **313**
Valori R. Ambulatory manometry in dyspepsia: walking a thin line: *commentary,* **153**
van Berge Henegouwen GP *see* Luiking YC *et al*
see Salet GAM *et al*
van Cutsem E *see* Wilmer A *et al*
van Dam J *see* Tham TCK *et al*
van de Lisdonk EH *see* Laheij RJF *et al*
van der Ende A *see* van der Hulst RWM *et al*
van der Hulst RWM *et al.* Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication, **166**
van der Linden EPM *see* van der Wurff AAM *et al*
Vandervoort J *see* Tham TCK *et al*
van der Wurff AAM *et al.* Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer, **63**
van Gossum A *see* Carol M *et al*
van Heel DA *see* Roseveare CD *et al*
van Leeuwen DJ *see* Bruno MJ *et al*
Vannerman W *see* Tham TCK *et al*
Vasen HFA *see* Spigelman A *et al*
Vasilaki A *see* Kouroumalis E *et al*
Ventrucci M *et al.* ^{13}C labelled cholesteryl octanoate breath test for assessing pancreatic exocrine insufficiency, **81**
Ventura A *see* Cataldo F *et al*
Venturini I *see* Avallone R *et al*
Verbeek ALM *see* Laheij RJF *et al*
Vernillo R *see* Figura N *et al*
Vilgrain V *see* Malka D *et al*
Vincent P *see* Michaud L *et al*
Vindigni C *see* Figura N *et al*
Viney JL. Altering cytokine soups: a recipe for inflammatory bowel disease?: *science alert,* **607**
Vlietinck R *see* Grandbastien B *et al*
von Meyenfeldt MF *see* van der Wurff AAM *et al*

Wagner S *see* Caselitz M *et al*
Wahnschaffe U *see* Schneider T *et al*
Wakefield AJ *see* Kelly DA *et al*
Walker NI *see* George DK *et al*
Walt RP *see* Kountouras J and Walt RP
Wanecek M *see* Oldner A *et al*
Wang S-S *see* Tsai K *et al*
Ward UM *see* Primrose JN *et al*
Wardle J *see* Atkin WS *et al*
Warhurst AC *et al.* Interferon γ induces differential upregulation of α and β chemokine secretion in colonic epithelial cell lines, **208**
Warhurst G *see* Warhurst AC *et al*
Waring RH *see* Harris RM *et al*
Warner TD, McCartney SA. NOS inhibitors in colitis: a suitable case for treatment?: *commentary,* **152;**
Shock news for the gut: *commentary,* **606**
Warren BF *see* Gleeson MH *et al*
Waser B *see* Reubi JC *et al*
Watanabe H *see* Ajioka Y *et al*
Watson SA *see* McWilliams DF *et al*
Weber A *see* Gross V *et al*
Wee A *see* Kang JY *et al*
Weitzberg E *see* Oldner A *et al*
Welsh F *see* Windsor ACJ *et al*
Welsh FKS *et al.* Gut barrier function in malnourished patients, **396**
Welsh KI *see* Mullighan CG *et al*
Wendon J *see* Rowbotham D *et al*
Whitaker L *see* Anton P *et al*
White KLM *see* Drake IM *et al*
Wicks AC *see* Fitzgerald RC *et al*
Wigerinck A *see* Eggleston A *et al*
Wight DGD *see* Petrik J *et al*
Wilkinson S *see* Thomas GAO *et al*
Williams C *see* El-Nujumi A *et al*
Williams R *see* Pereira SP and Williams R
see Rowbotham D *et al*
Williamson R *see* Duggan A *et al*
Wilmer A *see* Tack J *et al*
Wilmer A *et al.* Ambulatory gastrojejunal manometry in severe motility-like dyspepsia: lack of correlation between dysmotility, symptoms, and gastric emptying, **235**
Wilson JS *see* Norton ID *et al*
Windsor ACJ *et al.* Compared with parenteral nutrition, enteral feeding attenuates the acute phase response and improves disease severity in acute pancreatitis, **431**
Witt C *see* Nikolaus S *et al*
Wizla-Derambure N *see* Michaud L *et al*
Wong RCK *see* Tham TCK *et al*
Woolley JA *see* Ballinger AB *et al*
Wordsworth BP *see* Orchard TR *et al*
Wren BLJ *see* Dorrell N and Wren BLJ
Wright TL *see* Berenguer M and Wright TL
Wu A *see* Caselitz M *et al*
Wynter C *see* Jass JR *et al*

Yamaoka Y *et al.* Chemokines in the gastric mucosa in *Helicobacter pylori* infection, **609**
Yamazaki R *see* Shindo K *et al*
Yasuda M *see* Shimizu I *et al*
Yokota Y *see* Ajioka Y *et al*
Yorkshire GI Tumour Group *see* Primrose JN *et al*
Yoshida H *see* Maeda S *et al*
Young J *see* Jass JR *et al*

Zeitz M *see* Schneider T *et al*
Zeneroli ML *see* Avallone R *et al*
Zinsmeister AR *see* Saslow SB *et al*
Zippel T *see* Schneider T *et al*

VOLUME 42 • SUBJECT INDEX

abuse, Is the association between irritable bowel syndrome and abuse explained by neuroticism? A population based study, **47**
acetylator status, Somatic mutations, acetylator status, and prognosis in colorectal cancer, **669**
acid secretion, Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
acidic conditions, *Helicobacter pylori* is killed by nitrite under acidic conditions, **334**
activation peptide, Activation peptide of carboxypeptidase B in serum and urine in acute pancreatitis, **97**
acute liver failure, Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases, **576**
The failing malignant liver: *commentary,* **454**
acute pancreatitis, Activation peptide of carboxypeptidase B in serum and urine in acute pancreatitis, **97**
Acute pancreatitis: the substantial human and financial costs: *review,* **886**
CAPAP in acute pancreatitis: just another marker or real progress?: *commentary,* **8**
Compared with parenteral nutrition, enteral feeding attenuates the acute phase response and improves disease severity in acute pancreatitis, **431**
Feeding the inflamed pancreas: *commentary,* **315**
Oxidative stress: an important phenomenon with pathogenetic significance in the progression of acute pancreatitis, **850**
United Kingdom guidelines for the management of acute pancreatitis, suppl 2
adenomas, Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
adhesion molecules, Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**
adrenocorticotropic hormone, Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotropic hormone in normal controls and patients with irritable bowel syndrome, **845**
age, Are complications of endoscopic sphincterotomy age related?: *letter,* **758**
The aging stomach: *letter,* **757**
alosetron, Medium term effects of a new 5HT$_3$ antagonist, alosetron, in patients with carcinoid diarrhoea, **628**
alpha actin, The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel: *science alert,* **320**
ambulatory manometry, Ambulatory manometry in dyspepsia: walking a thin line: *commentary,* **153**
ambulatory, Ambulatory gastrojejunal manometry in severe motility-like dyspepsia: lack of correlation between dysmotility, symptoms, and gastric emptying, **235**
amino acids, Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
aminopyrine, Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
5-aminosalicylate, Expression of arylamine *N*-acetyltransferase in human intestine, **402**
5-aminosalicylic acid, Use of mesalazine slow release suppositories 1 g three times per week to maintain remission of ulcerative proctitis: a randomised double blind placebo controlled multicentre study, **195**
What dose of 5-aminosalicylic acid (mesalazine) in ulcerative colitis?: *leader,* **761**
angina-like chest pain, Oesophageal pain in coronary artery disease: *commentary,* **312**
antagonist, Medium term effects of a new 5HT$_3$ antagonist, alosetron, in patients with carcinoid diarrhoea, **628**
antidepressants, Imipramine decreases oesophageal pain perception in human male volunteers, **807**
anti-*Saccharomyces cerevisiae* mannan antibodies, Anti-*Saccharomyces cerevisiae* mannan antibodies combined with antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease: prevalence and diagnostic role, **788**
antimicrobial agent, Nitric oxide as an antimicrobial agent: does NO always mean NO?: *commentary,* **313**
antineutrophil cytoplasmic autoantibodies, Anti-*Saccharomyces cerevisiae* mannan antibodies combined with antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease: prevalence and diagnostic role, **788**
antinuclear antibodies, The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader,* **599**
antioxidant, Suppressive effect of oestradiol on chemical hepatocarcinogenesis in rats, **112**
antioxidants, Nitroxide radical attenuates ischaemia/reperfusion injury to the rat small intestine, **623**
Oxidative stress: an important phenomenon with pathogenetic significance in the progression of acute pancreatitis, **850**
antituberculus chemotherapy, Controlled trial of antituberculous chemotherapy in Crohn's disease: a five year follow up study, **497**
antrum, Motilin induces gall bladder emptying and antral contractions in the fasted state in humans, **830**
apoptosis, Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
appendix, Human intestinal M cells exhibit enterocyte-like intermediate filaments, **54**
arylamine *N*-acetyltransferase, Expression of arylamine *N*-acetyltransferase in human intestine, **402**
ascorbic acid, Reactive oxygen species activity and lipid peroxidation in *Helicobacter pylori* associated gastritis: relation to gastric mucosal ascorbic acid concentrations and effect of *H pylori* eradication, **768**
autoantibodies, Liver/kidney microsomal antibody type 1 and liver cytosol antibody type 1 concentrations in type 2 autoimmune hepatitis, **721**
autocrine loop, Gastrin, gastrin receptors and colorectal carcinoma: *review,* **581**
autoimmune hepatitis, Autoimmune hepatitis in the elderly: *letter,* **448**
The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader,* **599**
autosomal dominant polycystic kidney disease, Chronic obstructive pancreatitis due to a pancreatic cyst in a patient with autosomal dominant polycystic kidney disease, **131**

bacterial overgrowth, Depressing acid, deconjugating bile: *commentary,* **154**
Omeprazole induces altered bile acid metabolism, **266**
bacterial translocation, Compared with parenteral nutrition, enteral feeding attenuates the acute phase response and improves disease severity in acute pancreatitis, **431**
Microbiology of bacterial translocation in humans, **29**
barostat, Motor function of the proximal stomach and visceral perception in gastro-oesophageal reflux disease, **251**
Barrett oesophagus, Short segments of Barrett's epithelium and intestinal metaplasia in normal appearing oesophagogastric junctions: the same or two different entities?, **659**
Barrett's oesophagus, Consideration of histopathological subtypes and biopsy techniques in Barrett's oesophagus surveillance programmes: *letter,* **448**
basolateral uptake, Putrescine as a source of instant energy in the small intestine of the rat, **24**
bDNA assay, Serum and liver HCV RNA levels in patients with chronic hepatitis C: correlation with clinical and histological features, **856**
benzodiazepine, Benzodiazepines in hepatic encephalopathy: sleeping with the enemy: *commentary,* **764**
benzodiazepine consumers, Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
bile acid breath test, Omeprazole induces altered bile acid metabolism, **266**
bile acids, Depressing acid, deconjugating bile: *commentary,* **154**
biliary drainage, Persistent systemic inflammatory response after stent insertion in patients with malignant bile duct obstruction, **555**
biliary obstruction, Conclusive evidence of endotoxaemia in biliary obstruction, **293**
biliary stricture, Ductal dilatation and stenting for residual hepatolithiasis: a promising treatment strategy, **708**
biliary strictures, Management of occluded biliary Wallstents, **703**
biliary tract cancer, Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
biofeedback, Biofeedback provides long term benefit for patients with intractable, slow and normal transit constipation, **517**
body composition, Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
bone mineral density, Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
botulinum toxin, Effects of botulinum toxin A on the sphincter of Oddi: an in vivo and in vitro study, **507**
brain stem, Intractable vomiting due to a brainstem lesion in the absence of neurological signs or raised intracranial pressure, **875**
bran, Small bowel transit of a bran meal residue in humans: sieving of solids from liquids and response to feeding, **685**
budesonide, Low dose oral pH modified release budesonide for maintenance of steroid induced remission in Crohn's disease, **493**

^{13}C urea breath test, Gastric bacterial overgrowth is a cause of false positive diagnosis of *Helicobacter pylori* infection using ^{13}C urea breath test: *letter,* **594**
Caco-2 cells, Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic *Escherichia coli* (EPEC) infection, **200**
CagA, Major virulence factors, VacA and CagA, are commonly positive in *Helicobacter pylori* isolates in Japan, **338**
***cag*A,** *cag*A positive and negative *Helicobacter pylori* strains are simultaneously present in the stomach of most patients with non-ulcer dyspepsia: relevance to histological damage, **772**
calcitonin gene related peptide antagonist, Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**
cancer, General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
cap polyposis, Abnormal mucus in cap polyposis, **135**
capsaicin, Capsaicin sensitivity and epidermal growth factor: *commentary,* **314**
Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**
carboxypeptidase B, Activation peptide of carboxypeptidase B in serum and urine in acute pancreatitis, **97**
CAPAP in acute pancreatitis: just another marker or real progress?: *commentary,* **8**
carcinoid diarrhoea, Medium term effects of a new 5HT$_3$ antagonist, alosetron, in patients with carcinoid diarrhoea, **628**
cardiac failure, Clinical outcome of transfemoral embolisation in patients with arteriovenous malformations of the liver in hereditary haemorrhagic telangiectasia (Weber-Rendu-Osler disease), **123**
ΔCCK-B, Coexpression of gastrin and gastrin receptors (CCK-B and ΔCCK-B) in gastrointestinal tumour cell lines, **795**
Coexpression of gastrin and gastrin receptors (CCK-B and ΔCCK-B) in gastrointestinal tumour cell lines, **795**
CD8 positive T lymphocytes, Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
cell proliferation, *cag*A positive and negative *Helicobacter pylori* strains are simultaneously present in the stomach of most patients with non-ulcer dyspepsia: relevance to histological damage, **772**
cereal fibre, Cereal fibre and rectal epithelial cell proliferation: a possible link with duodenal ulceration: *letter,* **143**
chemokine, Interferon γ induces differential upregulation of α and β chemokine secretion in colonic epithelial cell lines, **208**
chemokines, Chemokines in the gastric mucosa in *Helicobacter pylori* infection, **609**
chemokinesis, Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
chemotaxis, Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**
chest pain, A prospective study of oesophageal function in patients with normal coronary angiograms and controls with angina, **323**
children, Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
chloral hydrate, Pneumatosis cystoides coli and chloral hydrate: *letter,* **899**
cholecystokinin, Gastrin, gastrin receptors and colorectal carcinoma: *review,* **581**
cholesterol saturation index, Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**
cholesteryl octanoate breath test, ^{13}C labelled cholesteryl octanoate breath test for assessing pancreatic exocrine insufficiency, **81**
chorionic gonadotropin, Beta human chorionic gonadotropin concentrations in serum of patients with pancreatic adenocarcinoma, **88**
chronic ductopenic rejection, In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts, **735**
chronic ethanol administration, Cytochrome P4502E1 is present in rat pancreas and is induced by chronic ethanol administration, **426**
chronic granulomatous disease, Treatment of enteritis in chronic granulomatous disease with granulocyte colony stimulating factor, **127**
chronic hepatitis, "Golf ball liver": a cause of chronic hepatitis?: *letter,* **143**
chronic hepatitis C virus infection, Clinical significance of intrahepatic hepatitis C virus levels in patients with chronic HCV infection, **570**
chronic liver disease, Hepatitis G virus infection in chronic liver disease, **107**
chronic obstructive pancreatitis, Chronic obstructive pancreatitis due to a pancreatic cyst in a patient with autosomal dominant polycystic kidney disease, **131**
chronic pancreatitis, Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
chronic stress, Functional gastrointestinal disorders: psychological, social, and somatic features, **414**
cimetidine, A prospective randomised controlled study of the use of ranitidine in patients with gastric cancer, **17**
cirrhosis, Acute effect of propranolol and isosorbide-5-mononitrate administration on renal blood flow in cirrhotic patients, **283**
Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**
Outcome of orthotopic liver transplantation in patients with haemophilia, **744**
Tranexamic acid for severe bleeding gastric antral vascular ectasia in cirrhosis, **750**
cisapride, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
Effect of a novel prokinetic drug, R093877, on gastrointestinal transit in healthy volunteers, **511**
citrate synthase, Autoantibodies against subunits of pyruvate dehydrogenase and citrate synthase in a case of paediatric biliary cirrhosis, **753**
clinical error, Reducing risks in gastroenterological practice: *occasional viewpoint,* **139**
clonality, Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**
coeliac disease, Coeliac disease and primary biliary cirrhosis: a case for mutual screening: *commentary,* **9**
Electrical spinal cord stimulation for painful peripheral neuropathy secondary to coeliac disease: *letter,* **448**
Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
Prevalence and clinical features of selective immunoglobulin A deficiency in coeliac disease: an Italian multicentre study, **362**
The association between primary biliary cirrhosis and coeliac disease: a study of relative prevalences, **120**
When is a coeliac a coeliac?: *letter,* **594**
colitis, Crohn's-like reaction in diverticular disease, **392**
Emergency admission to hospital for colitis due to inflammatory bowel disease: *letter,* **144**
NOS inhibitors in colitis: a suitable case for treatment?: *commentary,* **152**
colon, Morphology of sporadic colorectal cancer with DNA replication errors, **673**
colonic motility, Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotropic hormone in normal controls and patients with irritable bowel syndrome, **845**
colonic mucosa, Increased expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in colonic mucosa of patients with active ulcerative colitis, **180**
colonic transit, Medium term effects of a new 5HT$_3$ antagonist, alosetron, in patients with carcinoid diarrhoea, **628**
colonoscopic surveillance, Is colonoscopic surveillance reducing colorectal cancer mortality in ulcerative colitis? A population based case control study, **711**
colonoscopy, Endoscopic screening of relatives of patients with colorectal cancer, **71**
colorectal adenocarcinoma, Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer, **63**
colorectal adenoma, Infrequent K-*ras* codon 12 mutation in serrated adenomas of human colorectum, **680**
colorectal cancer, Endoscopic screening of relatives of patients with colorectal cancer, **71**
Expression of arylamine *N*-acetyltransferase in human intestine, **402**
Inhibition of phenolsulphotransferase by salicylic acid: a possible mechanism by which aspirin may reduce carcinogenesis, **272**
Is colonoscopic surveillance reducing colorectal cancer mortality in ulcerative colitis? A population based case control study, **711**
Morphology of sporadic colorectal cancer with DNA replication errors, **673**
Somatic mutations, acetylator status, and prognosis in colorectal cancer, **669**
Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
colorectal carcinoma, Gastrin, gastrin receptors and colorectal carcinoma: *review,* **581**
complement regulatory proteins, Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
compliance, Motor function of the proximal stomach and visceral perception in gastro-oesophageal reflux disease, **251**
constipation, Biofeedback provides long term benefit for patients with intractable, slow and normal transit constipation, **517**
coronary artery disease, A prospective study of oesophageal function in patients with normal coronary angiograms and controls with angina, **323**
coronary artery disease, Oesophageal pain in coronary artery disease: *commentary,* **312**
corticosteroid treatment, Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
corticotropin releasing factor, Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotropic hormone in normal controls and patients with irritable bowel syndrome, **845**

cost, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
^{51}Cr EDTA, Effects of smoking on the urine excretion of oral ^{51}Cr EDTA in ulcerative colitis, **656**
Crohn's disease, Anticipation in familial Crohn's disease, **170**
Anti-*Saccharomyces cerevisiae* mannan antibodies combined with antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease: prevalence and diagnostic role, **788**
Controlled trial of antituberculous chemotherapy in Crohn's disease: a five year follow up study, **497**
Crohn's-like reaction in diverticular disease, **392**
Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
Identification of a Crohn's disease specific transcript with potential as a diagnostic marker, **878**
Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
Inflammatory bowel disease incidence: up, down or unchanged?: *leader,* **309**
Low dose oral pH modified release budesonide for maintenance of steroid induced remission in Crohn's disease, **493**
Mesalazine as a maintenance treatment in Crohn's disease: *letter,* **143**
Peripheral arthropathies in inflammatory bowel disease: their articular distribution and natural history, **387**
cytochrome P4502E1, Cytochrome P4502E1 is present in rat pancreas and is induced by chronic ethanol administration, **426**
cytokeratin, Human intestinal M cells exhibit enterocyte-like intermediate filaments, **54**
cytokine, Gut barrier function in malnourished patients, **396**
cytokine profiles, Cytokine profiles of cultured microvascular endothelial cells from the human intestine, **635**
cytokines, Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**
Viral vectors expressing immunoregulatory cytokines to treat inflammatory bowel disease: *science alert,* **460**

deconjugation, Omeprazole induces altered bile acid metabolism, **266**
developmental expression, Developmental expression of mucin genes in the human gastrointestinal system, **220**
diagnosis, Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases, **576**
Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**
diagnostic tests,
Diagnostic tests for *Helicobacter pylori: letter,* **900**
Immunoblot assay for detection of salivary antibodies directed against *Helicobacter pylori: letter,* **900**
diarrhoea predominant irritable bowel syndrome, Postprandial plasma 5-hydroxytryptamine in diarrhoea predominant irritable bowel syndrome: a pilot study, **42**
diazepam binding inhibitor, Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
diet, Expression of arylamine *N*-acetyltransferase in human intestine, **402**
Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**
dietary counselling, Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**
diethylnitrosamine, Suppressive effect of oestradiol on chemical hepatocarcinogenesis in rats, **112**
differentiated adenocarcinoma, *Helicobacter pylori* infection in patients with early gastric cancer by the endoscopic phenol red test, **20**
disinfection, Cleaning and disinfection of equipment for gastrointestinal endoscopy. Report of a Working Party of the British Society of Gastroenterology Endoscopy Committee: *review,* **585**
distal pancreatectomy, Chronic obstructive pancreatitis due to a pancreatic cyst in a patient with autosomal dominant polycystic kidney disease, **131**
distension, Imipramine decreases oesophageal pain perception in human male volunteers, **807**
diverticulitis, Crohn's-like reaction in diverticular disease, **392**
DNA replication errors, Morphology of sporadic colorectal cancer with DNA replication errors, **673**
drug metabolism, Expression of arylamine *N*-acetyltransferase in human intestine, **402**
dual publication, Dual publication: *letter,* **595**
ductal pancreatic carcinomas, Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
duodenal motility, Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotropic hormone in normal controls and patients with irritable bowel syndrome, **845**
duodenal ulcer disease, Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication, **166**
duodenal ulceration, Cereal fibre and rectal epithelial cell proliferation: a possible link with duodenal ulceration: *letter,* **143**
duodenum, Surveillance of the duodenum in patients with familial adenomatous polyposis: *letter,* **144**
dyspepsia, Ambulatory gastrojejunal manometry in severe motility-like dyspepsia: lack of correlation between dysmotility, symptoms, and gastric emptying, **235**
Ambulatory manometry in dyspepsia: walking a thin line: *commentary,* **153**
Assessment of symptomatic response as predictor of *Helicobacter pylori* status following eradication therapy in patients with ulcer, **618**
Functional dyspepsia in the young: *letter,* **595**
History of dyspepsia in patients with gastric cancer: *letter,* **758**
Identification of distinct upper and lower gastrointestinal symptom groupings in an urban population, **690**
Helicobacter pylori: beware "blind" eradication!: *letter,* **757**
Responses to gastric distension in functional dyspepsia, **823**
Symptoms and visceral perception in severe functional and organic dyspepsia, **814**
Treating young dyspeptic patients: *letter,* **595**

early gastric cancer, History of dyspepsia in patients with gastric cancer: *letter,* **758**
ecological control, Ecological control of the gastrointestinal tract. The role of probiotic flora: *leader,* **2**
editorial, *Gut* in 1998—Looking back, looking forward: *editorial,* **1**
elderly, Autoimmune hepatitis in the elderly: *letter,* **448**
electrical spinal cord stimulation, Electrical spinal cord stimulation for painful peripheral neuropathy secondary to coeliac disease: *letter,* **448**
electrohydraulic lithotripsy, Ductal dilatation and stenting for residual hepatolithiasis: a promising treatment strategy, **708**
electrolyte transport, Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic *Escherichia coli* (EPEC) infection, **200**
electron microscopy, In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts, **735**
ELISPOT, Spontaneous secretion of interferon γ and interleukin 4 by human intraepithelial and lamina propria gut lymphocytes, **643**
embolisation therapy, Clinical outcome of transfemoral embolisation in patients with arteriovenous malformations of the liver in hereditary haemorrhagic telangiectasia (Weber-Rendu-Osler disease), **123**
encephalopathy, Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**
EndoCab assay, Conclusive evidence of endotoxaemia in biliary obstruction, **293**
endocrine pancreatic tumours, Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
endogenous benzodiazepines, Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
endomysial antibody, When is a coeliac a coeliac?: *letter,* **594**
endoscopic accessories, Report of the Working Party of the Endoscopy Committee of the British Society of Gastroenterology on the reuse of endoscopic accessories: *review,* **304**
endoscopic diagnosis, Short segments of Barrett's epithelium and intestinal metaplasia in normal appearing oesophagogastric junctions: the same or two different entities?, **659**
endoscopic haemostasis, A randomised controlled comparison of injection, thermal, and mechanical endoscopic methods of haemostasis on mesenteric vessels, **462**
endoscopic papillotomy, Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**
endoscopic phenol red test, *Helicobacter pylori* infection in patients with early gastric cancer by the endoscopic phenol red test, **20**
endoscopic retrograde cholangiopancreatography, Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
endoscopic screening, Endoscopic screening of relatives of patients with colorectal cancer, **71**
endoscopic sphincterotomy, Are complications of endoscopic sphincterotomy age related?: *letter,* **758**
endoscopy, Cleaning and disinfection of equipment for gastrointestinal endoscopy. Report of a Working Party of the British Society of Gastroenterology Endoscopy Committee: *review,* **585**
Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
endoscopy accidents, Reducing risks in gastroenterological practice: *occasional viewpoint,* **139**
endothelin 1, Shock news for the gut: *commentary,* **606**

The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**

endothelium, Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**

endotoxaemia, Conclusive evidence of endotoxaemia in biliary obstruction, **293**

endotoxin, Gut barrier function in malnourished patients, **396**
Shock news for the gut: *commentary,* **606**

enteral feeding, Colonic responses to enteral tube feeding: *leader,* **147**

enteral nutrition, Compared with parenteral nutrition, enteral feeding attenuates the acute phase response and improves disease severity in acute pancreatitis, **431**
Feeding the inflamed pancreas: *commentary,* **315**

enteric bacteria, Microbiology of bacterial translocation in humans, **29**

enteric coated enzyme therapy, Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**

enteric nerves, Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**

enteric nervous system, Actions of the 5-hydroxytryptamine 1 receptor agonist sumatriptan on interdigestive gastrointestinal motility in man, **36**

enteritis, Treatment of enteritis in chronic granulomatous disease with granulocyte colony stimulating factor, **127**

enterocyte, Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
Protein transport and processing by human HT29-19A intestinal cells: effect of interferon γ, **538**

enterokinetic agents, Effect of a novel prokinetic drug, R093877, on gastrointestinal transit in healthy volunteers, **511**

enteropathogenic *Escherichia coli*, Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic *Escherichia coli* (EPEC) infection, **200**

enteroscopy, Diagnostic yield of push-type enteroscopy in relation to indication, **421**

epidemiology, General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
Is colonoscopic surveillance reducing colorectal cancer mortality in ulcerative colitis? A population based case control study, **711**
Is the association between irritable bowel syndrome and abuse explained by neuroticism? A population based study, **47**

epidermal growth factor, Capsaicin sensitivity and epidermal growth factor: *commentary,* **314**
Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**

epithelium, Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**
Gut epithelium: food processor for the mucosal immune system?: *commentary,* **455**

eradication therapy, Assessment of symptomatic response as predictor of *Helicobacter pylori* status following eradication therapy in patients with ulcer, **618**

erythromycin, Actions of the 5-hydroxytryptamine 1 receptor agonist sumatriptan on interdigestive gastrointestinal motility in man, **36**

ex vivo, Effects of botulinum toxin A on the sphincter of Oddi: an in vivo and in vitro study, **507**

ex vivo culture technique, Stress protein response in human oesophageal epithelium may be influenced by the ex vivo culture technique: *letter,* **307**

exocrine pancreatic insufficiency, ^{13}C labelled cholesteryl octanoate breath test for assessing pancreatic exocrine insufficiency, **81**
Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**

extraintestinal manifestations, Peripheral arthropathies in inflammatory bowel disease: their articular distribution and natural history, **387**

extraintestinal symptoms, Functional gastrointestinal disorders: psychological, social, and somatic features, **414**

factor analysis, Identification of distinct upper and lower gastrointestinal symptom groupings in an urban population, **690**

faecal chymotrypsin, Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**

faecal elastase 1, Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**

faecal fat analysis, Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**

faecal pH, Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**

familial, Anticipation in familial Crohn's disease, **170**

familial adenomatous polyposis, Surveillance of the duodenum in patients with familial adenomatous polyposis: *letter,* **144**

familial risk, Endoscopic screening of relatives of patients with colorectal cancer, **71**

fat, Effect of increasing the fat content but not the energy load of a meal on gastro-oesophageal reflux and lower oesophageal sphincter motor function, **330**
Gastro-oesophageal reflux: does it matter what you eat?: *commentary,* **318**

fat malabsorption, Depressing acid, deconjugating bile: *commentary,* **154**

feeding, Small bowel transit of a bran meal residue in humans: sieving of solids from liquids and response to feeding, **685**

fermentation, Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**

fibre, Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**

FIC1, Progressive familial intrahepatic cholestasis types 1, 2, and 3: *science alert,* **766**

FMLP, Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**

follicle associated epithelium, Human intestinal M cells exhibit enterocyte-like intermediate filaments, **54**
Mid-life crisis for M cells, **11**

follow up, Biofeedback provides long term benefit for patients with intractable, slow and normal transit constipation, **517**

formyl-methionyl-leucyl-phenylalanine, Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**

free radicals, Nitroxide radical attenuates ischaemia/reperfusion injury to the rat small intestine, **623**
Oxidative DNA damage accumulation in gastric carcinogenesis, **351**
Oxidative stress: an important phenomenon with pathogenetic significance in the progression of acute pancreatitis, **850**

functional bowel disease, Identification of distinct upper and lower gastrointestinal symptom groupings in an urban population, **690**

functional bowel syndromes, Imipramine decreases oesophageal pain perception in human male volunteers, **807**

functional dyspepsia, Altered vagal and intestinal mechanosensory function in chronic unexplained dyspepsia, **501**

functional gastrointestinal disorders, Functional gastrointestinal disorders: psychological, social, and somatic features, **414**

gall bladder, Motilin induces gall bladder emptying and antral contractions in the fasted state in humans, **830**

gall bladder contractility, Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**

gall bladder emptying, Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**

gall bladder motility, Effect of the nitric oxide donor, glyceryl trinitrate, on human gall bladder motility, **410**

gallstones, Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**

gastric accommodation, Responses to gastric distension in functional dyspepsia, **823**

gastric acid secretion, Effect of gastric acid suppressants on human gastric motility, **243**

gastric antral vascular ectasia, Tranexamic acid for severe bleeding gastric antral vascular ectasia in cirrhosis, **750**

gastric bacterial overgrowth, Gastric bacterial overgrowth is a cause of false positive diagnosis of *Helicobacter pylori* infection using ^{13}C urea breath test: *letter,* **594**

gastric cancer, A prospective randomised controlled study of the use of ranitidine in patients with gastric cancer, **17**
Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**
H_2 antagonists for gastric cancer: small numbers are not beautiful: *commentary,* **9**
Helicobacter pylori infection in patients with early gastric cancer by the endoscopic phenol red test, **20**
Reactive oxygen species activity and lipid peroxidation in *Helicobacter pylori* associated gastritis: relation to gastric mucosal ascorbic acid concentrations and effect of *H pylori* eradication, **768**

gastric carcinogenesis, Oxidative DNA damage accumulation in gastric carcinogenesis, **351**

gastric carcinoma, The role of microsatellite instability in gastric carcinoma: *review,* **300**

gastric distension, Responses to gastric distension in functional dyspepsia, **823**

gastric emptying, Ambulatory gastrojejunal manometry in severe motility-like dyspepsia: lack of correlation between dysmotility, symptoms, and gastric emptying, **235**
Effect of gastric acid suppressants on human gastric motility, **243**

gastric motility, Effect of gastric acid suppressants on human gastric motility, **243**

gastric mucosal blood flow, Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**

gastric mucosal injury, Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**

gastric pH, Omeprazole induces altered bile acid metabolism, **266**

gastric sensitivity, Responses to gastric distension in functional dyspepsia, **823**
gastric ulcer, Omeprazole induces altered bile acid metabolism, **266**
gastrin, Coexpression of gastrin and gastrin receptors (CCK-B and ΔCCK-B) in gastrointestinal tumour cell lines, **795**
Gastrin, gastrin receptors and colorectal carcinoma: *review,* **581**
gastrin receptor, Gastrin, gastrin receptors and colorectal carcinoma: *review,* **581**
gastritis, Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication, **166**
*cag*A positive and negative *Helicobacter pylori* strains are simultaneously present in the stomach of most patients with non-ulcer dyspepsia: relevance to histological damage, **772**
gastroenteropancreatic endocrine tumour, Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
gastrointestinal tract, Developmental expression of mucin genes in the human gastrointestinal system, **220**
gastrointestinal bleeding, Diagnostic yield of push-type enteroscopy in relation to indication, **421**
gastrointestinal cell lines, Coexpression of gastrin and gastrin receptors (CCK-B and ΔCCK-B) in gastrointestinal tumour cell lines, **795**
gastrointestinal malignancy, Management of occluded biliary Wallstents, **703**
gastrointestinal manometry, Ambulatory gastrojejunal manometry in severe motility-like dyspepsia: lack of correlation between dysmotility, symptoms, and gastric emptying, **235**
gastrointestinal motility, Altered vagal and intestinal mechanosensory function in chronic unexplained dyspepsia, **501**
gastrointestinal tract, Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**
gastro-oesophageal reflux, Effect of increasing the fat content but not the energy load of a meal on gastro-oesophageal reflux and lower oesophageal sphincter motor function, **330**
Gastro-oesophageal reflux: does it matter what you eat?: *commentary,* **318**
gastro-oesophageal reflux disease, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
genetic anticipation, Anticipation in familial Crohn's disease, **170**
genetic haemochromatosis, Evidence for altered hepatic matrix degradation in genetic haemochromatosis, **715**
genetics, The genetics of ulcerative colitis based on one Swede: *letter,* **759**
genome biology, From genes to genome biology: a new era in *Helicobacter pylori* research: *leader,* **451**
γ-glutamylcysteine synthetase Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
glutathione, Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
glutathione-S-transferase placental form, Suppressive effect of oestradiol on chemical hepatocarcinogenesis in rats, **112**
glyceryl trinitrate, Effect of the nitric oxide donor, glyceryl trinitrate, on human gall bladder motility, **410**
golf ball liver, "Golf ball liver": a cause of chronic hepatitis?: *letter,* **143**
granulocyte colony stimulating factor, Treatment of enteritis in chronic granulomatous disease with granulocyte colony stimulating factor, **127**
granulocytes, Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
GROα, Chemokines in the gastric mucosa in *Helicobacter pylori* infection, **609**

haemochromatosis, A rapid method of haplotyping *HFE* mutations and linkage disequilibrium in a Caucasoid population, **566**
haemodynamics, Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**
haemophilia, Outcome of orthotopic liver transplantation in patients with haemophilia, **744**
HCV RNA, Serum and liver HCV RNA levels in patients with chronic hepatitis C: correlation with clinical and histological features, **856**
Helicobacter pylori, Diagnostic tests for *Helicobacter pylori: letter,* **900**
*cag*A positive and negative *Helicobacter pylori* strains are simultaneously present in the stomach of most patients with non-ulcer dyspepsia: relevance to histological damage, **772**
Immunoblot assay for detection of salivary antibodies directed against *Helicobacter pylori: letter,* **900**
Efficacy of ranitidine bismuth citrate (RBC) dual and triple therapies for the eradication of *Helicobacter pylori: letter,* **596**
Eradicating *Helicobacter pylori* reduces hypergastrinaemia during long term omeprazole treatment, **159**
From genes to genome biology: a new era in *Helicobacter pylori* research: *leader,* **451**
Functional dyspepsia in the young: *letter,* **595**
Gastric bacterial overgrowth is a cause of false positive diagnosis of *Helicobacter pylori* infection using ^{13}C urea breath test: *letter,* **594**
Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication, **166**
Helicobacter pylori: beware "blind" eradication!: *letter,* **757**
Major virulence factors, VacA and CagA, are commonly positive in *Helicobacter pylori* isolates in Japan, **338**
Helicobacter pylori infection in patients with early gastric cancer by the endoscopic phenol red test, **20**
Helicobacter pylori is killed by nitrite under acidic conditions, **334**
Treating young dyspeptic patients: *letter,* **595**
Assessment of symptomatic response as predictor of *Helicobacter pylori* status following eradication therapy in patients with ulcer, **618**
Chemokines in the gastric mucosa in *Helicobacter pylori* infection, **609**
Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
Reactive oxygen species activity and lipid peroxidation in *Helicobacter pylori* associated gastritis: relation to gastric mucosal ascorbic acid concentrations and effect of *H pylori* eradication, **768**
hepatic blood flow, The relationship between intrahepatic portal systemic shunts and microsphere induced portal hypertension in the rat liver, **276**
hepatic encephalopathy, Benzodiazepines in hepatic encephalopathy: sleeping with the enemy: *commentary,* **764**
hepatic fibrosis, Evidence for altered hepatic matrix degradation in genetic haemochromatosis, **715**
hepatic infiltration, Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases, **576**
The failing malignant liver: *commentary,* **454**
hepatic stellate cell, Evidence for altered hepatic matrix degradation in genetic haemochromatosis, **715**
hepatic vascular malformation, Clinical outcome of transfemoral embolisation in patients with arteriovenous malformations of the liver in hereditary haemorrhagic telangiectasia (Weber-Rendu-Osler disease), **123**
hepatitis C, French consensus conference on hepatitis C: screening and treatment, **892**
Iron reduction therapy in hepatitis C: *letter,* **759**
Iron reduction therapy in hepatitis C: *letter,* **899**
Outcome of orthotopic liver transplantation in patients with haemophilia, **744**
hepatitis C virus, Hepatic histology in hepatitis C virus carriers coinfected with hepatitis G virus, **103**
Is the hepatocyte a Trojan horse for hepatitis C virus?: *commentary,* **456**
hepatitis G virus, Hepatic histology in hepatitis C virus carriers coinfected with hepatitis G virus, **103**
Hepatitis G virus infection in chronic liver disease, **107**
hepatocellular carcinoma, Octreotide in hepatocellular carcinoma: *commentary,* **316**
Treatment of hepatocellular carcinoma with octreotide: a randomised controlled study, **442**
hepatocyte, Is the hepatocyte a Trojan horse for hepatitis C virus?: *commentary,* **456**
hepatolithiasis, Ductal dilatation and stenting for residual hepatolithiasis: a promising treatment strategy, **708**
hepatopulmonary syndrome, Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**
hereditary haemorrhagic telangiectasia, Clinical outcome of transfemoral embolisation in patients with arteriovenous malformations of the liver in hereditary haemorrhagic telangiectasia (Weber-Rendu-Osler disease), **123**
HFE, A rapid method of haplotyping *HFE* mutations and linkage disequilibrium in a Caucasoid population, **566**
high risk factor, *Helicobacter pylori* infection in patients with early gastric cancer by the endoscopic phenol red test, **20**
H_2 antagonists, H_2 antagonists for gastric cancer: small numbers are not beautiful: *commentary,* **9**
H_2 histamine receptor antagonist, A prospective randomised controlled study of the use of ranitidine in patients with gastric cancer, **17**
histamine H_2 receptor antagonists, Effect of gastric acid suppressants on human gastric motility, **243**
histochemistry, Abnormal mucus in cap polyposis, **135**
histology, Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases, **576**
Crohn's-like reaction in diverticular disease, **392**
Hepatic histology in hepatitis C virus carriers coinfected with hepatitis G virus, **103**
histopathological subtype, Consideration of histopathological subtypes and biopsy techniques in Barrett's oesophagus surveillance programmes: *letter,* **448**
HIV, Outcome of orthotopic liver transplantation in patients with haemophilia, **744**
HIV infection, Increased immunoglobulin G production by short term cultured duodenal biopsy samples from HIV infected patients, **357**
HLA DR3, The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader,* **599**
HLA DR4, The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader,* **599**
hormone receptor, Suppressive effect of oestradiol on chemical hepatocarcinogenesis in rats, **112**

HPLC, Protein transport and processing by human HT29-19A intestinal cells: effect of interferon γ, **538**
human, Cytokine profiles of cultured microvascular endothelial cells from the human intestine, **635**
β-human chorionic gonadotropin Beta human chorionic gonadotropin concentrations in serum of patients with pancreatic adenocarcinoma, **88**
human intestinal M cells, Human intestinal M cells exhibit enterocyte-like intermediate filaments, **54**
human oesophageal epithelium, Stress protein response in human oesophageal epithelium may be influenced by the ex vivo culture technique: *letter,* **307**
5-hydroxytryptamine, Postprandial plasma 5-hydroxytryptamine in diarrhoea predominant irritable bowel syndrome: a pilot study, **42**
hyperalgesia, Symptoms and visceral perception in severe functional and organic dyspepsia, **814**
hyperdynamic circulation, Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**
hypergastrinaemia, Eradicating *Helicobacter pylori* reduces hypergastrinaemia during long term omeprazole treatment, **159**
hyperplasia, The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel: *science alert,* **320**
hypertrophy, Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**
hypoxaemia, Arterial hypoxaemia in cirrhosis: fact or fiction?, **868**

ICAM-1, Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**
idiopathic constipation, Effect of a novel prokinetic drug, R093877, on gastrointestinal transit in healthy volunteers, **511**
IgA deficiency, Prevalence and clinical features of selective immunoglobulin A deficiency in coeliac disease: an Italian multicentre study, **362**
ileum, Small bowel transit of a bran meal residue in humans: sieving of solids from liquids and response to feeding, **685**
imipramine, Imipramine decreases oesophageal pain perception in human male volunteers, **807**
immunoblotting, Liver/kidney microsomal antibody type 1 and liver cytosol antibody type 1 concentrations in type 2 autoimmune hepatitis, **721**
immunofluorescence, Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
immunohistochemistry, Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
immunosuppression, Liver/kidney microsomal antibody type 1 and liver cytosol antibody type 1 concentrations in type 2 autoimmune hepatitis, **721**
in situ hybridisation, Abnormal mucus in cap polyposis, **135**
in vitro P magnetic resonance spectroscopy, In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts, **735**
in vivo P magnetic resonance spectroscopy, In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts , **735**
in vivo scintigraphy, Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
incidence, Inflammatory bowel disease incidence: up, down or unchanged?: *leader,* **309**
indomethacin, Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**
Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**
inflammation, Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
inflammatory bowel disease, Activation of nuclear factor κB in inflammatory bowel disease, **477**
Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**
Emergency admission to hospital for colitis due to inflammatory bowel disease: *letter,* **144**
Expression of arylamine *N*-acetyltransferase in human intestine, **402**
General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
Identification of a Crohn's disease specific transcript with potential as a diagnostic marker, **878**
Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
Inflammatory bowel disease incidence: up, down or unchanged?: *leader,* **309**
Interferon γ induces differential upregulation of α and β chemokine secretion in colonic epithelial cell lines, **208**
Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**
Pathogenesis of inflammatory bowel disease: transcription factors in the spotlight: *commentary,* **458**
Serum p53 antibodies in patients with chronic inflammatory bowel disease: *letter,* **899**
Use of mesalazine slow release suppositories 1 g three times per week to maintain remission of ulcerative proctitis: a randomised double blind placebo controlled multicentre study, **195**
Viral vectors expressing immunoregulatory cytokines to treat inflammatory bowel disease: *science alert,* **460**
What dose of 5-aminosalicylic acid (mesalazine) in ulcerative colitis?: *leader,* **761**
insulin-like growth factor I, The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel: *science alert,* **320**
interferon, Iron reduction therapy in hepatitis C: *letter,* **759**
Iron reduction therapy in hepatitis C: *letter,* **899**
interferon γ, Interferon γ induces differential upregulation of α and β chemokine secretion in colonic epithelial cell lines, **208**
Just how inflamed is the normal gut?: *commentary,* **603**
Spontaneous secretion of interferon γ and interleukin 4 by human intraepithelial and lamina propria gut lymphocytes, **643**
interleukin, Just how inflamed is the normal gut?: *commentary,* **603**
interleukin 10, Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
Interleukin 10 is a growth factor for a population of regulatory T cells: *science alert,* **157**
interleukin 1β, Activation of nuclear factor κB in inflammatory bowel disease, **477**
Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
interleukin 1β converting enzyme, Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
interleukin 4, Spontaneous secretion of interferon γ and interleukin 4 by human intraepithelial and lamina propria gut lymphocytes, **643**
interleukin 8, Chemokines in the gastric mucosa in *Helicobacter pylori* infection, **609**
intermediate filaments, Human intestinal M cells exhibit enterocyte-like intermediate filaments, **54**
interstitial cells of Cajal, Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**
intestinal antibodies, Increased immunoglobulin G production by short term cultured duodenal biopsy samples from HIV infected patients, **357**
intestinal epithelium, Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
intestinal immunity, Activation of nuclear factor κB in inflammatory bowel disease, **477**
Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
intestinal inflammation, Just how inflamed is the normal gut?: *commentary,* **603**
Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**
intestinal lymphocytes, Spontaneous secretion of interferon γ and interleukin 4 by human intraepithelial and lamina propria gut lymphocytes, **643**
intestinal metaplasia, Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**
Intestinal metaplasia and the squamocolumnar junction: what does it all mean?: *commentary,* **604**
intestinal mucosa, Cytokine profiles of cultured microvascular endothelial cells from the human intestine, **635**
Nitroxide radical attenuates ischaemia/reperfusion injury to the rat small intestine, **623**
intestinal permeability, Effects of smoking on the urine excretion of oral ^{51}Cr EDTA in ulcerative colitis, **656**
Gut barrier function in malnourished patients, **396**
intestinal transit, Effect of a novel prokinetic drug, R093877, on gastrointestinal transit in healthy volunteers, **511**
intestine, Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**
intestino-intestinal reflexes, Altered vagal and intestinal mechanosensory function in chronic unexplained dyspepsia, **501**
intrahepatic hepatitis C virus, Clinical significance of intrahepatic hepatitis C virus levels in patients with chronic HCV infection, **570**

intrahepatic shunts, The relationship between intrahepatic portal systemic shunts and microsphere induced portal hypertension in the rat liver, **276**
intravital microscopy, Leucocyte endothelial cell adhesion in indomethacin induced intestinal inflammation is correlated with faecal pH, **380**
iron reduction therapy, Iron reduction therapy in hepatitis C: *letter,* **759**
Iron reduction therapy in hepatitis C: *letter,* **899**
irritable bowel syndrome, Identification of distinct upper and lower gastrointestinal symptom groupings in an urban population, **690**
Impact of corticotropin-releasing hormone on gastrointestinal motility and adrenocorticotropic hormone in normal controls and patients with irritable bowel syndrome, **845**
Is the association between irritable bowel syndrome and abuse explained by neuroticism? A population based study, **47**
ischaemia, Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
ischaemia–reperfusion injury, Shock news for the gut: *commentary,* **606**

jaundice, Management of occluded biliary Wallstents, **703**
Persistent systemic inflammatory response after stent insertion in patients with malignant bile duct obstruction, **555**
jejunum, Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**
K-*ras,* Infrequent K-*ras* codon 12 mutation in serrated adenomas of human colorectum, **680**

laxatives, Biofeedback provides long term benefit for patients with intractable, slow and normal transit constipation, **517**
LC1, Liver/kidney microsomal antibody type 1 and liver cytosol antibody type 1 concentrations in type 2 autoimmune hepatitis, **721**
linkage disequilibrium, A rapid method of haplotyping *HFE* mutations and linkage disequilibrium in a Caucasoid population, **566**
lipid malabsorption, ^{13}C labelled cholesteryl octanoate breath test for assessing pancreatic exocrine insufficiency, **81**
lipid peroxidation, Oxidative stress: an important phenomenon with pathogenetic significance in the progression of acute pancreatitis, **850**
lipopolysaccharide, Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
liver cirrhosis, Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
liver disease, Treatment of hepatocellular carcinoma with octreotide: a randomised controlled study, **442**
liver disease activity, Serum and liver HCV RNA levels in patients with chronic hepatitis C: correlation with clinical and histological features, **856**
liver transplantation, In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts, **735**
Limits to liver transplantation in the UK: *occasional viewpoint,* **883**
Outcome of orthotopic liver transplantation in patients with haemophilia, **744**
liver-kidney microsomal antibody, The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader,* **599**
LKM1, Liver/kidney microsomal antibody type 1 and liver cytosol antibody type 1 concentrations in type 2 autoimmune hepatitis, **721**
luminal uptake, Putrescine as a source of instant energy in the small intestine of the rat, **24**
lymphokine activated killer activity, Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
M cells, Mid-life crisis for M cells, **11**

Maastricht Consensus Report, *Helicobacter pylori*: beware "blind" eradication!: *letter,* **757**
macromolecular degradation, Protein transport and processing by human HT29-19A intestinal cells: effect of interferon γ, **538**
macrophages, Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
magnetic resonance imaging, Intractable vomiting due to a brainstem lesion in the absence of neurological signs or raised intracranial pressure, **875**
maintenance of remission, Low dose oral pH modified release budesonide for maintenance of steroid induced remission in Crohn's disease, **493**
matrix metalloproteinase, Evidence for altered hepatic matrix degradation in genetic haemochromatosis, **715**
maturation epitope, Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer, **63**
MDR3, Progressive familial intrahepatic cholestasis types 1, 2, and 3: *science alert,* **766**
mechanics, Motor function of the proximal stomach and visceral perception in gastro-oesophageal reflux disease, **251**
mesalazine, Mesalazine as a maintenance treatment in Crohn's disease: *letter,* **143**
Use of mesalazine slow release suppositories 1 g three times per week to maintain remission of ulcerative proctitis: a randomised double blind placebo controlled multicentre study, **195**
What dose of 5-aminosalicylic acid (mesalazine) in ulcerative colitis?: *leader,* **761**
mesenteric lymph nodes, Microbiology of bacterial translocation in humans, **29**
mesenteric vessels, A randomised controlled comparison of injection, thermal, and mechanical endoscopic methods of haemostasis on mesenteric vessels, **462**
methylation, Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**
metronidazole resistance, Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication, **166**
microcirculation, Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**
microflora, Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**
microsatellite instability, Morphology of sporadic colorectal cancer with DNA replication errors, **673**
The role of microsatellite instability in gastric carcinoma: *review,* **300**
microthrombi, Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**
migrating motor complex, Actions of the 5-hydroxytryptamine 1 receptor agonist sumatriptan on interdigestive gastrointestinal motility in man, **36**
The effect of flufenamic acid on gastrointestinal myoelectrical activity and transit time in dogs, **258**
molecular marker, Identification of a Crohn's disease specific transcript with potential as a diagnostic marker, **878**
morphology, Morphology of sporadic colorectal cancer with DNA replication errors, **673**
mortality, General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
motilin, Actions of the 5-hydroxytryptamine 1 receptor agonist sumatriptan on interdigestive gastrointestinal motility in man, **36**
Motilin induces gall bladder emptying and antral contractions in the fasted state in humans, **830**
motility, Motilin induces gall bladder emptying and antral contractions in the fasted state in humans, **830**
Small bowel transit of a bran meal residue in humans: sieving of solids from liquids and response to feeding, **685**
mRNA, Cytokine profiles of cultured microvascular endothelial cells from the human intestine, **635**
mucin, Developmental expression of mucin genes in the human gastrointestinal system, **220**
Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer, **63**
mucins, Abnormal mucus in cap polyposis, **135**
mucosa, Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
Mucosal subepithelial binding sites for the bacterial chemotactic peptide, formyl-methionyl-leucyl-phenylalanine (FMLP), **374**
mucosal atrophy, *cag*A positive and negative *Helicobacter pylori* strains are simultaneously present in the stomach of most patients with non-ulcer dyspepsia: relevance to histological damage, **772**
mucosal blood flow, Capsaicin sensitivity and epidermal growth factor: *commentary,* **314**
mucosal immune system, Gut epithelium: food processor for the mucosal immune system?: *commentary,* **455**
mucosal immunity, Increased immunoglobulin G production by short term cultured duodenal biopsy samples from HIV infected patients, **357**
Protein transport and processing by human HT29-19A intestinal cells: effect of interferon γ, **538**
Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
mucosal immunology, The aging stomach: *letter,* **757**
mucosal injury, Capsaicin sensitivity and epidermal growth factor: *commentary,* **314**
mucus, Dietary fibre and intestinal microflora: effects on intestinal morphometry and crypt branching, **799**
mycobacteria, Controlled trial of antituberculous chemotherapy in Crohn's disease: a five year follow up study, **497**

necrosis, Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
neuronal plasticity, Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**
neuropeptides, Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**

neurotensin receptors, Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
neuroticism, Is the association between irritable bowel syndrome and abuse explained by neuroticism? A population based study, **47**
neutrophils, Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
NF-κB., Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**
nitrates, Acute effect of propranolol and isosorbide-5-mononitrate administration on renal blood flow in cirrhotic patients, **283**
nitric oxide, Effect of the nitric oxide donor, glyceryl trinitrate, on human gall bladder motility, **410**
Enteric neuronal plasticity and a reduced number of interstitial cells of Cajal in hypertrophic rat ileum, **836**
Increased expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in colonic mucosa of patients with active ulcerative colitis, **180**
Nitric oxide as an antimicrobial agent: does NO always mean NO?: *commentary,* **313**
NOS inhibitors in colitis: a suitable case for treatment?: *commentary,* **152**
nitric oxide synthase, Increased expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in colonic mucosa of patients with active ulcerative colitis, **180**
Nitric oxide as an antimicrobial agent: does NO always mean NO?: *commentary,* **313**
nitrite, *Helicobacter pylori* is killed by nitrite under acidic conditions, **334**
non-steroidal anti-inflammatory drugs, Emergency admission to hospital for colitis due to inflammatory bowel disease: *letter,* **144**
Inhibition of phenolsulphotransferase by salicylic acid: a possible mechanism by which aspirin may reduce carcinogenesis, **272**
The aging stomach: *letter,* **757**
non-ulcer dyspepsia, Major virulence factors, VacA and CagA, are commonly positive in *Helicobacter pylori* isolates in Japan, **338**
nucleation time, Effect of endoscopic sphincterotomy on gall bladder bile lithogenicity and motility, **288**
nutritional status, Bone mineral density and nutritional status in children with chronic inflammatory bowel disease, **188**

octreotide, Octreotide in hepatocellular carcinoma: *commentary,* **316**
Treatment of hepatocellular carcinoma with octreotide: a randomised controlled study, **442**
Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
oesophageal balloon, Imipramine decreases oesophageal pain perception in human male volunteers, **807**
oesophageal function, A prospective study of oesophageal function in patients with normal coronary angiograms and controls with angina, **323**
oesophageal pain, Oesophageal pain in coronary artery disease: *commentary,* **312**
oesophagogastric junction, Effect of increasing the fat content but not the energy load of a meal on gastro-oesophageal reflux and lower oesophageal sphincter motor function, **330**
oesophagus, Effect of increasing the fat content but not the energy load of a meal on gastro-oesophageal reflux and lower oesophageal sphincter motor function, **330**
omeprazole, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
Depressing acid, deconjugating bile: *commentary,* **154**
Eradicating *Helicobacter pylori* reduces hypergastrinaemia during long term omeprazole treatment, **159**
Omeprazole induces altered bile acid metabolism, **266**
outcomes research, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
overt hepatic encephalopathy, Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy, **861**
oxidative damage, Nitroxide radical attenuates ischaemia/reperfusion injury to the rat small intestine, **623**
oxidative DNA damage, Oxidative DNA damage accumulation in gastric carcinogenesis, **351**
oxidative stress, Compared with parenteral nutrition, enteral feeding attenuates the acute phase response and improves disease severity in acute pancreatitis, **431**
p53, Serum p53 antibodies in patients with chronic inflammatory bowel disease: *letter,* **899**

palliation, Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**
palliative treatment, Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
pancreatic cancer, Beta human chorionic gonadotropin concentrations in serum of patients with pancreatic adenocarcinoma, **88**
Persistent systemic inflammatory response after stent insertion in patients with malignant bile duct obstruction, **555**
Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**
Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
pancreatic cyst, Chronic obstructive pancreatitis due to a pancreatic cyst in a patient with autosomal dominant polycystic kidney disease, **131**
pancreatic enzyme therapy, Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**
pancreatic juice, Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
pancreatic polypeptide, Altered vagal and intestinal mechanosensory function in chronic unexplained dyspepsia, **501**
paraneoplastic syndrome, Beta human chorionic gonadotropin concentrations in serum of patients with pancreatic adenocarcinoma, **88**
parenteral nutrition, Feeding the inflamed pancreas: *commentary,* **315**
parietal cell, Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
phytohaemagglutinin, Putrescine as a source of instant energy in the small intestine of the rat, **24**
P_{CO_2} gap, The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**
PCR-RFLP, Infrequent K-*ras* codon 12 mutation in serrated adenomas of human colorectum, **680**
PCR-SSP, A rapid method of haplotyping *HFE* mutations and linkage disequilibrium in a Caucasoid population, **566**
peripheral arthropathy, Peripheral arthropathies in inflammatory bowel disease: their articular distribution and natural history, **387**
peripheral neuropathy, Electrical spinal cord stimulation for painful peripheral neuropathy secondary to coeliac disease: *letter,* **448**
peroxidative damage, Oxidative DNA damage accumulation in gastric carcinogenesis, **351**
peroxynitrite, Increased expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in colonic mucosa of patients with active ulcerative colitis, **180**
Peyer's patches, Mid-life crisis for M cells, **11**
phenolsulphotransferases, Inhibition of phenolsulphotransferase by salicylic acid: a possible mechanism by which aspirin may reduce carcinogenesis, **272**
pHi, The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**
phospholipids, In vivo and in vitro hepatic phosphorus-31 magnetic resonance spectroscopy and electron microscopy in chronic ductopenic rejection of human liver allografts, **735**
pig, Effects of botulinum toxin A on the sphincter of Oddi: an in vivo and in vitro study, **507**
pneumatosis cystoides coli, Pneumatosis cystoides coli and chloral hydrate: *letter,* **899**
portal hypertension, Acute effect of propranolol and isosorbide-5-mononitrate administration on renal blood flow in cirrhotic patients, **283**
The relationship between intrahepatic portal systemic shunts and microsphere induced portal hypertension in the rat liver, **276**
postoperative sepsis, Microbiology of bacterial translocation in humans, **29**
postprandial, Postprandial plasma 5-hydroxytryptamine in diarrhoea predominant irritable bowel syndrome: a pilot study, **42**
precancerous changes, Oxidative DNA damage accumulation in gastric carcinogenesis, **351**
prevalence, The association between primary biliary cirrhosis and coeliac disease: a study of relative prevalences, **120**
primary biliary cirrhosis, Autoantibodies against subunits of pyruvate dehydrogenase and citrate synthase in a case of paediatric biliary cirrhosis, **753**
Coeliac disease and primary biliary cirrhosis: a case for mutual screening: *commentary,* **9**
The association between primary biliary cirrhosis and coeliac disease: a study of relative prevalences, **120**
probiotic flora, Ecological control of the gastrointestinal tract. The role of probiotic flora: *leader,* **2**
proctitis, Use of mesalazine slow release suppositories 1 g three times per week to maintain remission of ulcerative proctitis: a randomised double blind placebo controlled multicentre study, **195**
progastrin, Gastrin, gastrin receptors and colorectal carcinoma: *review,* **581**
prognosis, Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases, **576**
Somatic mutations, acetylator status, and prognosis in colorectal cancer, **669**

prognostic factors, Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
prognostic marker, Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer, **63**
progressive familial intrahepatic cholestasis, Progressive familial intrahepatic cholestasis types 1, 2, and 3: *science alert,* **766**
prokinetic agents, The effect of flufenamic acid on gastrointestinal myoelectrical activity and transit time in dogs, **258**
propranolol, Acute effect of propranolol and isosorbide-5-mononitrate administration on renal blood flow in cirrhotic patients, **283**
protease activity, Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
protease inhibitors, Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
protein-energy malnutrition, Gut barrier function in malnourished patients, **396**
proton pump inhibitors, Effect of gastric acid suppressants on human gastric motility, **243**
psychosocial, Functional gastrointestinal disorders: psychological, social, and somatic features, **414**
P-type ATPase, Progressive familial intrahepatic cholestasis types 1, 2, and 3: *science alert,* **766**
putrescine, Putrescine as a source of instant energy in the small intestine of the rat, **24**
pyruvate dehydrogenase, Autoantibodies against subunits of pyruvate dehydrogenase and citrate synthase in a case of paediatric biliary cirrhosis, **753**

quadruple therapy, Influence of metronidazole resistance on efficacy of quadruple therapy for *Helicobacter pylori* eradication, **166**

randomised trial, Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
ranitidine, Cost effectiveness of treatment for gastro-oesophageal reflux disease in clinical practice: a clinical database analysis, **13**
ranitidine bismuth citrate, Efficacy of ranitidine bismuth citrate (RBC) dual and triple therapies for the eradication of *Helicobacter pylori: letter,* **596**
RANTES, Interferon γ induces differential upregulation of α and β chemokine secretion in colonic epithelial cell lines, **208**
rantitidine, A prospective randomised controlled study of the use of ranitidine in patients with gastric cancer, **17**
rat, Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
Role of capsaicin sensitive nerves in epidermal growth factor effects on gastric mucosal injury and blood flow, **344**
rat liver, The relationship between intrahepatic portal systemic shunts and microsphere induced portal hypertension in the rat liver, **276**
rat pancreas, Cytochrome P4502E1 is present in rat pancreas and is induced by chronic ethanol administration, **426**
reactive oxygen species, Reactive oxygen species activity and lipid peroxidation in *Helicobacter pylori* associated gastritis: relation to gastric mucosal ascorbic acid concentrations and effect of *H pylori* eradication, **768**
rectal epithelial cell proliferation, Cereal fibre and rectal epithelial cell proliferation: a possible link with duodenal ulceration: *letter,* **143**
rectum, Morphology of sporadic colorectal cancer with DNA replication errors, **673**
redundant publication, Research misconduct and redundant publication: *letter,* **449**
reflux disease, Assessment of symptomatic response as predictor of *Helicobacter pylori* status following eradication therapy in patients with ulcer, **618**
regulatory peptides, Neurotensin receptors: a new marker for human ductal pancreatic adenocarcinoma, **546**
renal blood flow, Acute effect of propranolol and isosorbide-5-mononitrate administration on renal blood flow in cirrhotic patients, **283**
reperfusion, Apoptosis is a major mode of cell death caused by ischaemia and ischaemia/reperfusion injury to the rat intestinal epithelium, **530**
research misconduct, Research misconduct and redundant publication: *letter,* **449**
reuse of endoscopic equipment, Coming clean on reuse of endoscopic equipment: *commentary,* **155**
risk management, Reducing risks in gastroenterological practice: *occasional viewpoint,* **139**
RNA, Hepatic histology in hepatitis C virus carriers coinfected with hepatitis G virus, **103**
RNA arbitrarily primed PCR, Identification of a Crohn's disease specific transcript with potential as a diagnostic marker, **878**
Rome criteria, Identification of distinct upper and lower gastrointestinal symptom groupings in an urban population, **690**
RT-PCR, Coexpression of gastrin and gastrin receptors (CCK-B and ΔCCK-B) in gastrointestinal tumour cell lines, **795**

scintigraphy, Effect of gastric acid suppressants on human gastric motility, **243**
screening, Coeliac disease and primary biliary cirrhosis: a case for mutual screening: *commentary,* **9**
French consensus conference on hepatitis C: screening and treatment, **892**
Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
secretin-pancreozymin test, Faecal elastase 1: not helpful in diagnosing chronic pancreatitis associated with mild to moderate exocrine pancreatic insufficiency, **551**
secretory IgA, Secretory immunoglobulin A in pancreatic juice and pancreatic tissue of patients with chronic pancreatitis, **436**
self expanding metal stent, Management of occluded biliary Wallstents, **703**
septic shock, The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**
serosal scrapings, Microbiology of bacterial translocation in humans, **29**
serotoninergic agents, Medium term effects of a new 5HT$_3$ antagonist, alosetron, in patients with carcinoid diarrhoea, **628**
serrated adenoma, Infrequent K-*ras* codon 12 mutation in serrated adenomas of human colorectum, **680**
serum amyloid P component, The liver in systemic amyloidosis: insights from ^{125}I serum amyloid P component scintigraphy in 484 patients, **727**
short segments, Short segments of Barrett's epithelium and intestinal metaplasia in normal appearing oesophagogastric junctions: the same or two different entities?, **659**
sigmoidoscopy, Endoscopic screening of relatives of patients with colorectal cancer, **71**
Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening, **560**
signal transduction, Activation of nuclear factor κB in inflammatory bowel disease, **477**
Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic *Escherichia coli* (EPEC) infection, **200**
small bowel, Putrescine as a source of instant energy in the small intestine of the rat, **24**
small intestine, The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel: *science alert,* **320**
smoking, Effects of smoking on the urine excretion of oral ^{51}Cr EDTA in ulcerative colitis, **656**
smooth muscle antibodies, The relationship between autoimmune markers and different clinical syndromes in autoimmune hepatitis: *leader,* **599**
somatostatin, Actions of the 5-hydroxytryptamine 1 receptor agonist sumatriptan on interdigestive gastrointestinal motility in man, **36**
Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
somatostatin receptor scintigraphy, Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
somatostatin receptors, Treatment of hepatocellular carcinoma with octreotide: a randomised controlled study, **442**
somatostatinoma, Use of the somatostatin analogue octreotide to localise and manage somatostatin-producing tumours, **792**
sphincter of Oddi, Effects of botulinum toxin A on the sphincter of Oddi: an in vivo and in vitro study, **507**
spin labels, Nitroxide radical attenuates ischaemia/reperfusion injury to the rat small intestine, **623**
splanchnic circulation, The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**
squamocolumnar junction, Intestinal metaplasia and the squamocolumnar junction: what does it all mean?: *commentary,* **604**
stable isotopes, ^{13}C labelled cholesteryl octanoate breath test for assessing pancreatic exocrine insufficiency, **81**
stem cell, Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer, **63**
stent occlusion, Management of occluded biliary Wallstents, **703**
stents, Predictive factors for survival of patients with inoperable malignant distal biliary strictures: a practical management guideline, **76**
steroids, Activation of nuclear factor κB in inflammatory bowel disease, **477**
stomach, Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**
The aging stomach: *letter,* **757**
stress protein response, Stress protein response in human oesophageal epithelium may be influenced by the ex vivo culture technique: *letter,* **307**
succinate, Putrescine as a source of instant energy in the small intestine of the rat, **24**
sulphasalazine, What dose of 5-aminosalicylic acid (mesalazine) in ulcerative colitis?: *leader,* **761**
superoxides, Oxidative stress: an important phenomenon with pathogenetic significance in the progression of acute pancreatitis, **850**

surveillance, Surveillance of the duodenum in patients with familial adenomatous polyposis: *letter,* **144**
surveillance programmes, Consideration of histopathological subtypes and biopsy techniques in Barrett's oesophagus surveillance programmes: *letter,* **448**
systemic amyloidosis, The liver in systemic amyloidosis: insights from I serum amyloid P component scintigraphy in 484 patients, **727**
systemic inflammatory response syndrome, Acute pancreatitis: the substantial human and financial costs: *review,* **886**
T cell regulation Interleukin 10 is a growth factor for a population of regulatory T cells: *science alert,* **157**

testosterone, Suppressive effect of oestradiol on chemical hepatocarcinogenesis in rats, **112**
tissue glutamine, When is a coeliac a coeliac?: *letter,* **594**
tissue inhibitor of metalloproteinase-1, Evidence for altered hepatic matrix degradation in genetic haemochromatosis, **715**
tolerance, Interleukin 10 is a growth factor for a population of regulatory T cells: *science alert,* **157**
tone, Motor function of the proximal stomach and visceral perception in gastro-oesophageal reflux disease, **251**
tonometry, The endothelin receptor antagonist bosentan restores gut oxygen delivery and reverses intestinal mucosal acidosis in porcine endotoxin shock, **696**
topical treatments, Use of mesalazine slow release suppositories 1 g three times per week to maintain remission of ulcerative proctitis: a randomised double blind placebo controlled multicentre study, **195**
***TP53* and K-*ras* mutations,** Somatic mutations, acetylator status, and prognosis in colorectal cancer, **669**
tranexamic acid, Tranexamic acid for severe bleeding gastric antral vascular ectasia in cirrhosis, **750**
transcription factors, Pathogenesis of inflammatory bowel disease: transcription factors in the spotlight: *commentary,* **458**
transcytosis, Protein transport and processing by human HT29-19A intestinal cells: effect of interferon γ, **538**
transit studies, The effect of flufenamic acid on gastrointestinal myoelectrical activity and transit time in dogs, **258**
transit time, Biofeedback provides long term benefit for patients with intractable, slow and normal transit constipation, **517**
tumour, Intractable vomiting due to a brainstem lesion in the absence of neurological signs or raised intracranial pressure, **875**
tumour marker, Beta human chorionic gonadotropin concentrations in serum of patients with pancreatic adenocarcinoma, **88**
tumour necrosis factor, Tumour necrosis factor-α enhances intraepithelial lymphocyte proliferation and migration, **650**
tumour necrosis factor α, Activation of nuclear factor κB in inflammatory bowel disease, **477**
Increased secretion of pro-inflammatory cytokines by circulating polymorphonuclear neutrophils and regulation by interleukin 10 during intestinal inflammation, **470**
Interleukin 1β and tumour necrosis factor α inhibit acid secretion in cultured rabbit parietal cells by multiple pathways, **227**
Mediation by NF-κB of cytokine induced expression of intercellular adhesion molecule 1 (ICAM-1) in an intestinal epithelial cell line, a process blocked by proteasome inhibitors, **779**
Persistent systemic inflammatory response after stent insertion in patients with malignant bile duct obstruction, **555**
Shock news for the gut: *commentary,* **606**

ulcer, Major virulence factors, VacA and CagA, are commonly positive in *Helicobacter pylori* isolates in Japan, **338**
ulcer disease, Assessment of symptomatic response as predictor of *Helicobacter pylori* status following eradication therapy in patients with ulcer, **618**
ulcerative colitis, Anti-*Saccharomyces cerevisiae* mannan antibodies combined with antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease: prevalence and diagnostic role, **788**
Effects of smoking on the urine excretion of oral ^{51}Cr EDTA in ulcerative colitis, **656**
Expression of cell membrane complement regulatory glycoproteins along the normal and diseased human gastrointestinal tract, **522**
Expression of interleukin 1β and interleukin 1β converting enzyme by intestinal macrophages in health and inflammatory bowel disease, **214**
General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study, **175**
Impairment of intestinal glutathione synthesis in patients with inflammatory bowel disease, **485**
Increased expression of an inducible isoform of nitric oxide synthase and the formation of peroxynitrite in colonic mucosa of patients with active ulcerative colitis, **180**
Inflammatory bowel disease incidence: up, down or unchanged?: *leader,* **309**
Is colonoscopic surveillance reducing colorectal cancer mortality in ulcerative colitis? A population based case control study, **711**
Peripheral arthropathies in inflammatory bowel disease: their articular distribution and natural history, **387**
The genetics of ulcerative colitis based on one Swede: *letter,* **759**
What dose of 5-aminosalicylic acid (mesalazine) in ulcerative colitis?: *leader,* **761**
ultrasonography, Motilin induces gall bladder emptying and antral contractions in the fasted state in humans, **830**
ultrastructure, Abnormal mucus in cap polyposis, **135**
Ussing chambers, Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic *Escherichia coli* (EPEC) infection, **200**

VacA, Major virulence factors, VacA and CagA, are commonly positive in *Helicobacter pylori* isolates in Japan, **338**
vascular endothelium, Cytokine profiles of cultured microvascular endothelial cells from the human intestine, **635**
villi, Focal reduction of villous blood flow in early indomethacin enteropathy: a dynamic vascular study in the rat, **366**
viral vectors, Viral vectors expressing immunoregulatory cytokines to treat inflammatory bowel disease: *science alert,* **460**
visceral afferents, Symptoms and visceral perception in severe functional and organic dyspepsia, **814**
visceral hyperalgesia, Imipramine decreases oesophageal pain perception in human male volunteers, **807**
vomiting, Intractable vomiting due to a brainstem lesion in the absence of neurological signs or raised intracranial pressure, **875**

Weber-Rendu-Osler disease, Clinical outcome of transfemoral embolisation in patients with arteriovenous malformations of the liver in hereditary haemorrhagic telangiectasia (Weber-Rendu-Osler disease), **123**
weight loss, Placebo controlled trial of enteric coated pancreatin microsphere treatment in patients with unresectable cancer of the pancreatic head region, **92**

X chromosome inactivation, Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism, **663**